

**Dauer**  
MANUFACTURING®

COMMERCIAL LED LIGHTING

# PRODUCT REFERENCE GUIDE

HQ: 10505 NW 112 AVE, SUITE 18  
MIAMI, FL 33178

PLANT: 1430 GOULD BLVD, SUITE 3  
LA VERGNE, TN 37086

**888.DAUER.LED**

[www.DauerManufacturing.com](http://www.DauerManufacturing.com)
























September | 2024

**HIGH BAYS**







Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty	
DMLHG4	DMLHG490W27V50KCD	90W	---	12,600 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 2'		Damp Location	(3) F54T5 (4) F32T8 250W HID	Steel Mounting Cable (Included)	Motion* Sensor Battery* Backup Wire Guard*	5 Years	
	DMLHG4130W27V50KCD	130W		18,500 lm								(4) F54T5 (6) F32T8 400W HID				
	DMLHG4B130W27V50KCD	130W		18,500 lm					---	(4) F54T5 (6) F32T8 400W HID		2' x 2'				(6) F54T5 (8) F32T8 500W HID
	DMLHG4180W27V50KCD	180W		25,200 lm					(8) F54T5 (10) F32T8							
	DMLHG4210W27V50KCD	210W		29,000 lm					1' x 4'			(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger			
	DMLHG4L130W27V50KCD	130W		18,500 lm								(6) F54T5 (8) F32T8 500W HID				
	DMLHG4L180W27V50KCD	180W		24,000 lm					2' x 4'			(8) F54T5 (10) F32T8				
	DMLHG4L210W27V50KCD	210W		29,000 lm								(12) F54T5 (14) F32T8				
	DMLHG4270W27V50KCD	270W		37,000 lm					2' x 4'			(16) F54T5 (18) F32T8				
	DMLHG4300W27V50KCD	300W		41,500 lm								1,000W HID				
DMLHG4370W27V50KCD	370W	50,500 lm	(20) F54T5 (24) F32T8													
DMLHG6	DMLHG690W27V50KCD (Clear Lens)	90W	---	12,700 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 1'		Damp Location	(3) F54T5 (4) F32T8 250W HID	Steel Mounting Cable (Included) Pendant* Hanger	Motion* Sensor Battery* Backup Wire Guard*	5 Years	
	DMLHG6130W27V50KCD (Clear Lens)	130W		18,600 lm								(4) F54T5 (6) F32T8 400W HID				
	DMLHG6175W27V50KCD (Clear Lens)	175W		25,000 lm					(6) F54T5 (8) F32T8							
	DMLHG6210W27V50KCD (Clear Lens)	210W		30,600 lm					1' x 2'			(8) F54T5 (10) F32T8				
	DMLHG6270W27V50KCD (Clear Lens)	270W		37,000 lm								(12) F54T5 (14) F32T8				
	DMLHG6300W27V50KCD (Clear Lens)	300W		41,500 lm					1' x 3'			(16) F54T5 (18) F32T8				
	DMLHG6210W27V50KCD (Clear Lens)	210W		30,000 lm								Power & CCT				(8) F54T5 (10) F32T8

\*Available upon request.

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	<b>DMLHG6</b>   	DMLHG6130W27V50KPD (Prismatic Lens)	130W	---	18,000 lm	5000K 4000K*	80	---	120-277V 347-480V*	1' x 1'	 Damp Location	(4) F54T5 (6) F32T8 400W HID	Steel Mounting Cable (Included) Pendant* Hanger	Motion* Sensor Battery* Backup Wire Guard*	5 Years	
		DMLHG6175W27V50KPD (Prismatic Lens)	175W		25,000 lm					1' x 2'		(6) F54T5 (8) F32T8				
		DMLHG6300W27V50KPD (Prismatic Lens)	300W		42,000 lm					1' x 3'		(16) F54T5 (18) F32T8				
		DMLHG6210W27VDDKPD (Prismatic Lens)	210W	Power & CCT	30,500 lm	1' x 2'	(8) F54T5 (10) F32T8									
	<b>DHB02</b>	DHB0267W27V50KW	67W	---	9,400 lm	5000K 4000K*	70	---	120-277V	Small	 Wet Location	175W MH	Hook & Pendant (Included) Adjustable* Surface Mounting Bracket	Motion* Sensor Battery* Backup	5 Years	
		DHB0297W27V50KW	97W		13,700 lm					250W MH						
		DHB02100W27V50KW	100W		14,000 lm					250W MH						
		DHB02140W27V50KW	140W		19,100 lm					250W MH						
		DHB02180W27V50KW	180W		24,500 lm					400W MH						
	<b>DHB04</b>	DHB04135W27V50KD	135W	---	19,400 lm	5000K 4000K*	70	---	120-277V 347-480V*	---	 Wet Location	250W MH	Hook & Pendant (Included)	Motion* Sensor Battery* Backup Aluminum* Reflector	5 Years	
		DHB04175W27V50KD	175W		25,600 lm					320W MH						
		DHB04200W27V50KD	200W		29,800 lm					400W MH						
	<b>DHB05</b>  	DHB05200W27V50KD	200W	Power	32,800 lm	5000K 4000K*	70	---	120-277V 347-480V*	---	 Wet Location	400W MH	Hook & Pendant (Included)	Motion* Sensor Wattage* Adjustment Dial	5 Years	
		DHB05250W27V50KD	250W		40,100 lm							750W MH				
		DHB05300W27V50KD	300W		49,500 lm							750W MH				
		DHB05340W27V50KD	340W	55,500 lm	1,000W MH							Motion* Sensor		5 Years		
		DHB05350W27V50KDAD	350W	62,000 lm	750W MH											
		DHB05410W27V50KDAD	410W	72,000 lm	1,000W MH											
	<b>DHB06</b>   	DHB0667W27V50KB	67W	---	9,100 lm	5000K 4000K*	80	---	120-277V	 Wet Location	175W MH	Hook & Pendant (Included) Adjustable Surface Mounting Bracket	Motion* Sensor Battery* Backup	5 Years		
		DHB06140W27V50KB	140W		17,500 lm				120-277V 347-480V*		250W MH					
		DHB06180W27V50KB	180W		25,000 lm				120-277V		400W MH					
		DHB06215W27V50KB	215W		30,000 lm						400W MH					
		DHB0697W27V50KB	97W		14,000 lm				250W MH							
		DHB06215W27V50KB	215W		Power & CCT				30,500 lm		400W MH					
	<b>DOHBG8</b>   	DHBG8100W27VDDKBAD	100W	Power & CCT	16,000 lm	5000K 4000K	70	---	120-277V	---	 Wet Location	250W MH	Hook & Pendant (Included) Adjustable* Surface Mounting Bracket	Motion* Sensor Battery* Backup	5 Years	
		DHBG8150W27VDDKBAD	150W		24,000 lm							250W MH				
		DHBG8210W27VDDKBAD	210W		30,000 lm							400W MH				
		DHBG8230W27VDDKBAD	230W		36,000 lm							750W MH				

\*Available upon request.

## CANOPY LIGHTS






	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DCP03	DCP0330W27V50KWDPG	30W	---	4,000 lm	5000K 4000K*	70	Parking Garage	120-277V 347V*	---		Wet Location	100W MH	Quick Mount Plate (Included)	Motion* Sensor Battery* Backup	5 Years
		DCP0345W27V50KWDPG	45W		5,700 lm								100W MH			
		DCP0360W27V50KWDPG	60W		7,500 lm								175W MH			
	DCP05	DCP0527W27V50KDD	27W	---	3,800 lm	5000K 4000K*	70	Parking Garage	120-277V	---		Wet Location	100W MH	Quick Mount Plate (Included)	Motion* Sensor Battery* Backup	5 Years
		DCP0540W27V50KDD	40W		5,450 lm								175W MH			
		DCP0560W27V50KDD	60W		8,000 lm								250W MH			

## LED PANELS



**POWER TUNABLE**  
40% 60% 80% 100%




**CCT TUNABLE**  
35K 40K 50K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DPLG2   	DPLG222B30W27VPC	20W	Power & CCT	2,500 lm	5000K 4000K 3500K	80	---	120-277V	2' x 2'		Damp Location		Recessed Mounting* Surface Mount Kit* Suspension Kit*	Motion* Sensor Battery* Backup	5 Years
		DPLG222B30W27VPC	25W		3,125 lm											
		DPLG222B30W27VPC	30W		3,750 lm											
		DPLG214B40W27VPC	25W		3,125 lm					1' x 4'						
		DPLG214B40W27VPC	30W		3,750 lm											
		DPLG214B40W27VPC	40W		5,000 lm											
		DPLG214B40W27VPC	25W		3,125 lm					2' x 4'						
		DPLG214B40W27VPC	30W		3,750 lm											
		DPLG214B40W27VPC	30W		3,750 lm											
		DPLG214B40W27VPC	40W		5,000 lm											




## LINEAR FIXTURES

**POWER TUNABLE**  
40% 60% 80% 100%

**CCT TUNABLE**  
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DLFG2  	DLFG223W27V50KF	23W	---	3,000 lm	5000K 4000K*	80	---	120-277V	4'	---	Damp Location	T8	Steel Cable*	Motion* Sensor Battery Backup* Row* Connector	5 Years
		DLFG235W27V50KF	35W		4,700 lm								(2) T8			
		DLFG245W27V50KF	45W		6,000 lm								(2) T5H0			
		DLFG235W27KDDKF	35W	4,700 lm	5000K 4000K	(2) T8										
		DLFG245W27VDDKF	45W	6,050 lm	3000K	(2) T5H0										

## VAPOR TIGHT

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DVTG3	DVTG345W27V50KLB	45W	---	6,000 lm	5000K 4000K*	80	Low Bay	120-277V	---		Wet Location	175W MH	---	Motion* Sensor Battery* Backup	5 Years
		DVTG370W27V50KLB	70W		9,400 lm								250W MH			
		DVTG395W27V50KLB	95W		13,000 lm								250W MH			
		DVTG345W27V50KPG	45W		5,600 lm						175W MH					
		DVTG370W27V50KPG	70W		8,500 lm						250W MH					
		DVTG395W27V50KPG	95W		11,600 lm						250W MH					

\*Available upon request.



**AREA LIGHTS**








	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DALG6	DALG6100W27V50KDSQT3	100W	---	14,200 lm	5000K 4000K*	70	Type III Type IV* Type V*	120-277V 347-480V*	Medium		Wet Location	250W MH	Pole Mount Slipfitter Wall Mount	Photocell*	5 Years
		DALG6150W27V50KDSQT3	150W		21,200 lm								400W MH			
		DALG6200W27V50KDSQT3	200W		28,000 lm								400W MH			
		DALG6240W27V50KDSQT3	240W		34,000 lm								750W MH			
		DALG6300W27V50KDSQT3	300W		42,500 lm								1,000W MH			
		DALG6350W27V50KDSQT3	350W		50,000 lm								1,000W MH			
	DALO4 	DALO440W27V50KDT3	40W	---	5,500 lm	5000K 4000K*	70	Type III Type IV* Type V*	120-277V 347-480V*	Small		Wet Location	175W MH	Pole Mount Slipfitter Wall Mount	Photocell*	5 Years
		DALO470W27V50KDT3	70W		9,600 lm								250W MH			
		DALO4100W27V50KDT3	100W		13,800 lm								320W MH			
		DALO4150W27V50KDT3	150W		20,800 lm								400W MH			
		DALO4200W27V50KDT3	200W		26,000 lm								400W MH			
		DALO4250W27V50KDT3	250W		34,500 lm								1,000W MH			
		DALO4300W27V50KDT3	300W		41,000 lm								1,000W MH			
	DALG5 	DALG5100W27V50KDSQT3	100W	---	14,100 lm	5000K 4000K*	70	Type III Type IV* Type V*	120-277V 347-480V*	Small		Wet Location	250W MH	Pole Mount Adjustable Pole Mount Slipfitter Wall Mount Yoke Mount	Photocell* Motion Sensor Backlight Glare Shield	5 Years
		DALG5150W27V50KDSQT3	150W		21,000 lm								400W MH			
		DALG5180W27V50KDSQT3	180W		25,000 lm								400W MH			
		DALG5250W27V50KDSQT3	250W		35,000 lm								750W MH			
		DALG5300W27V50KDSQT3	300W		42,000 lm								1,000W MH			
	DALG8 	DALG8100W27VDDKDSQT3AD	100W	---	14,500 lm	5000K 4000K 3000K	70	Type III Type IV* Type V*	120-277V 347-480V*	Medium		Wet Location	250W MH	Pole Mount Adjustable Pole Mount Slipfitter Wall Mount Yoke Mount	Photocell* Motion Sensor Backlight Glare Shield Full Glare Shield	5 Years
		DALG8140W27VDDKDSQT3AD	140W		20,000 lm								400W MH			
		DALG8180W27VDDKDSQT3AD	180W		24,000 lm								400W MH			
		DALG8250W27VDDKDSQT3AD	250W		33,500 lm								750W MH			
		DALG8300W27VDDKDSQT3AD	300W		41,000 lm								1,000W MH			

**FLOOD LIGHTS**



	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DFDG9	DFDG9100W27V50KBDB77	100W	---	14,800 lm	5000K 4000K*	70	7Hx7V	120-277V 347-480V*	Medium		Wet Location	320W MH	Yoke Mount Slipfitter Wall Mount	Photocell*	5 Years
		DFDG9150W27V50KBDB77	150W		22,200 lm								400W MH			
		DFDG9200W27V50KBDB77	200W		28,800 lm								400W MH			
		DFDG9240W27V50KBDB77	240W		35,500 lm								750W MH			
		DFDG9300W27V50KBDB77	300W		43,700 lm								1,000W MH			
		DFDG9350W27V50KBDB77	350W		51,000 lm								1,000W MH			


\*Available upon request.

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DFD07	DFD0740W27V50KBDB77	40W	---	5,720 lm	5000K 4000K*	70	7Hx7V	120-277V 347-480V*	Small	DLC LISTED PREMIUM	Wet Location	175W MH	Yoke Mount Trunnion Slipfitter	Photocell*	5 Years
		DFD0770W27V50KBDB77	70W		9,800 lm								250W MH			
		DFD07100W27V50KBDB77	100W		13,900 lm								320W MH			
		DFD07150W27V50KBDB77	150W		20,800 lm								400W MH			
		DFD07200W27V50KBDB77	200W		26,000 lm								400W MH			
		DFD07250W27V50KBDB77	250W		35,250 lm								750W MH			
		DFD07300W27V50KBDB77	300W		41,000 lm								1,000W MH			
	DFD08	DFD0815W27V50KDDB76KN	15W	---	2,000 lm	5000K 4000K*	70	7Hx6V	120-277V	X-Small	DLC LISTED PREMIUM	Wet Location	50W MH	Knuckle Trunnion	Photocell*	5 Years
		DFD0827W27V50KDDB76KN	27W		3,700 lm					100W MH						
		DFD0845W27V50KDDB76KN	45W		6,150 lm					175W MH						
		DFD0860W27V50KDDB76KN	60W		7,800 lm					250W MH						
		DFD0870W27V50KDDB76YK	70W		9,400 lm					250W MH						
		DFD08100W27V50KDDB76YK	100W		13,500 lm					250W MH						
		DFD08135W27V50KDDB76YK	135W		18,500 lm			120-277V 347-480V*	320W MH	Yoke Mount Slipfitter						
		DFD08200W27V50KDDB76YK	200W		27,000 lm				400W MH							
		DFD08350W27V50KDDB76TR	350W		50,000 lm				1,000W MH				Trunnion			
	DFDG11	DFDG1115WDDKDB77	15W	Power & CCT	2,050 lm	5000K 4000K 3000K	70	7Hx7V	120-277V	Small	DLC LISTED PREMIUM	Wet Location	50W MH	Knuckle Trunnion	Photocell (Included)	5 Years
		DFDG1127WDDKDB77	27W		3,500 lm								100W MH			
		DFDG1140WDDKDB77	40W		5,700 lm								175W MH			
		DFDG1165WDDKDB77	65W		9,200 lm								250W MH			
		DFDG1190WDDKDB77	90W		13,400 lm								320W MH			
		DFDG11120WDDKDB77	120W		17,500 lm								400W MH			
	DFD03	DFD15W27V50KBDB77	15W	---	1,500 lm	5000K 4000K* 3000K*	70	7Hx7V	120-277V	Small	---	Wet Location	250W MH	Knuckle Trunnion	---	5 Years
		DFD30W27V50KBDB77	30W		3,000 lm					320W MH						
		DFD45W27V50KBDB77	45W		5,400 lm					320W MH						
	DFR01	DFR20W27V50KBDNFL	20W	---	2,500 lm	5000K	70	20	120-277V	---	---	Wet Location	100W MH	Knuckle	---	5 Years
		DFR20W27V50KBDNFL	20W		2,500 lm			44								
		DFR30W27V50KBDNFL	30W		3,350 lm			20								
		DFR30W27V50KBDNFL	30W		3,350 lm			44								









## WALL PACKS

**POWER TUNABLE**  
40% 60% 80% 100%



**CCT TUNABLE**  
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DWP08	DWP0830W27V50KD	30W	---	3,500 lm	5000K 4000K*	70	---	120-277V	---	DLC LISTED PREMIUM	Wet Location	100W MH	---	Photocell*	5 Years
		DWP0840W27V50KD	40W		4,850 lm				120-277V 347-480V*				175W MH			
		DWP0865W27V50KD	65W		7,900 lm								250W MH			
		DWP0890W27V50KD	90W		10,800 lm								320W MH			
		DWP08125W27V50KD	125W		15,400 lm								400W MH			
		DWP0865W27VDDKD	65W		7,900 lm								250W MH			
		DWP08100W27VDDKD	100W		11,600 lm								400W MH			
			Power & CCT		5000K 4000K 3000K			120-277V								




\*Available upon request.

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DWPG2  	DWPG227W27V50KD	27W	---	4,100 lm	5000K 4000K*	70	---	120-277V	Small		Wet Location	100W MH	---	Photocell* Battery* Backup	5 Years
		DWPG245W27V50KD	45W		6,600 lm				120-277V				175W MH			
		DWPG270W27V50KD	70W		9,900 lm				347-480V*				250W MH			
		DWPG290W27V50KD	90W		12,200 lm								320W MH			
		DWPG2135W27V50KD	135W		18,000 lm								400W MH			
	DWPG15  	DWPG1526W27V50KD	26W	---	3,900 lm	5000K 4000K* 3000K*	70	---	120-277V	Small	---	Wet Location	100W MH	---	Photocell* Battery* Backup	5 Years
		DWPG1538W27V50KD	38W		5,800 lm				120-277V				175W MH			
		DWPG1565W27V50KD	65W		9,800 lm				347-480V*				250W MH			
		DWPG15100W27V50KD	100W		15,000 lm								320W MH			
		DWPG15135W27V50KD	135W		20,000 lm				400W MH							
		DWPG1538W27VDDKD	38W		5,600 lm				120-277V				175W MH			
		DWPG1565W27VDDKD	65W		9,500 lm								250W MH			
		DWPG15100W27VDDKD	100W		14,800 lm								320W MH			
	DWM01 Clear Lens	DWM15W27V50KDPO	15W	---	1,750 lm	5000K 4000K*	70	---	120-277V	---	---	Wet Location	100W INC	---	Photocell (Included)	5 Years
		DWM17W27V50KDPO	17W		1,950 lm								120W INC			
		DWM25W27V50KDPO	25W		2,600 lm								50W MH			
	DWM01 Frosted Lens	DWM15W27V50KDPOF	15W		1,820 lm								100W INC			
		DWM17W27V50KDPOF	17W		2,000 lm								120W INC			
		DWM25W27V50KDPOF	25W		2,700 lm								50W MH			

## DUSK TO DAWN

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DDD5	DDD545W27V50KSGPO	45W	---	6,200 lm	5000K 4000K*	70	---	120-277V	---		Wet Location	100W MH	Mounting* Arm	Photocell (Included)	5 Years
		DDD565W27V50KSGPO	65W		8,800 lm								175W MH			
		DDD590W27V50KSGPO	90W		12,400 lm								250W MH			

## POST TOP LIGHTS

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DPT01  	DPL01130W27VDDKD	130W	Power & CCT	16,000 lm	5000K 4000K 3000K	70	---	120-277V	---	---	Wet Location	400W MH	---	Photocell* Motion* Sensor	5 Years





**POWER TUNABLE**  
40% 60% 80% 100%

**CCT TUNABLE**  
3K 4K 5K



## BOLLARD LIGHTS

**POWER TUNABLE**  
40% 60% 80% 100%

**CCT TUNABLE**  
3K 4K 5K

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DBL01  	DBL0126W27V50KD	26W	---	3,100lm	5000K 4000K*	70	---	120-277V	---		Wet Location	100W MH	---	Battery* Backup	5 Years
		DBL0126W27VDDKD	26W	Power & CCT	3,100lm	5000K 4000K 3000K							100W MH			

## SPORTS LIGHTS

	Series	Default SKU	Watts	Tunable	Lumens	CCT	CRI	Output	Voltage	Size	DLC	UL	Replaces	Mounting	Accessories	Warranty
	DSL02	DSL02510W27V50KBB44TR	510W	---	71,000 lm	5000K 4000K* 5700K*	70	4Hx4V	120-277V 347-480V*	---		Wet Location	1,500W MH	Trunnion*	Top Visor (Included) Laser* Aiming Sight	5 Years

\*Available upon request.