



**Dauer**  
MANUFACTURING®

*presenting our 2026*  
lighting solutions that inspire

**25** years strong

**Dauer**

# Celebrating 25 Years of **LIGHTING THE WAY**

In 2026, we proudly celebrate our 25th Silver Anniversary—a milestone that marks not just the passage of time, but the growth, resilience, and relationships that have defined our journey. What began as a vision to bring high-quality lighting solutions to the green industry has evolved into a trusted legacy built on innovation, partnership, and dedication to excellence.

Like any true journey, the road hasn't always been easy. It's been filled with challenges, triumphs, and lessons learned along the way. Through every season, however, one thing has remained constant: our unwavering commitment to our customers and partners. Your trust, collaboration, and shared passion for excellence have illuminated our path and inspired us to keep raising the bar year after year.

As we celebrate this remarkable 25-year journey, we extend our deepest appreciation to our loyal customers and partners. Your dedication and support have made every step possible—and we look forward to building an even brighter future together.

**25** years strong

*Please Note:* The Dauer Manufacturing product featured in this catalog is intended to be used as accent lighting in the manner in which it is depicted and in the category under which it is presented. Any use outside of the intent as portrayed could potentially render the manufacturer's warranty null and void. Please read the complete manufacturer's warranty provided with each product purchase.

We would like to thank those companies whose photography was used throughout our 2026 product brochure to demonstrate the quality of our landscape lighting products: Accents Lighting, Elegant Accents (Tampa), Elite Outdoor Lighting, H&M Landscaping (a Visterra company), Local Lightscapes, Low Volt Mike, Nightscapes (South Carolina), Schneider's Lawn & Landscape, Outdoor Landscapes, and Unique Outdoor Lighting.



## WE TREAT CUSTOMERS LIKE FAMILY

Many of our clients are family-owned companies passed down from generation to generation. We know the importance of customer service and responsiveness no matter your company's size, and understand the challenges small businesses may experience working with large, public companies that might not provide you the time and attention needed.

Our top priority is the satisfaction of our distributor and contractor low-voltage lighting clients. No matter what size your company, you are always family to us.

As we celebrate 25 years in the industry, we're proud to continue our legacy of innovation, streamlined delivery, and outstanding durability.

## YOU ALWAYS HAVE A SEAT AT OUR TABLE

# 2026 PRODUCT HIGHLIGHTS

Introducing the newest additions to Dauer's fine line of LED landscape lighting fixtures and accessories.

Complementing our already existing lineup of high-quality lighting designs, our new brass and aluminum products offer the superior craftsmanship, durability and longevity you have come to expect from the Dauer Manufacturing name.



**ARCHER SR. 24" & 30"**  
Brass Integrated Path Light  
489914-24-2700K  
489914-24-3000K  
489914-30-2700K  
489914-30-3000K



**NEMO | 489998**  
Brass Integrated Submersible  
3000K



**DHARMA | 489921**  
Brass Drop-in Path Light  
with 6" hat



**QUATTRO**  
Aluminum Integrated Path Light  
489162-2700K-BLK  
489162-3000K-BLK



**REMINGTON**  
Brass Integrated Wall Washer with Stake  
489888-2W-2700K | 140lm  
489888-2W-3000K | 140lm  
489888-4W-2700K | 280lm  
489888-4W-3000K | 280lm



**ZIGGY 16" & 22"**  
Aluminum Integrated Path Light  
489159-16-2700K  
489159-16-3000K  
489159-22-2700K  
489159-22-3000K

# BLACK LABEL SERIES IN STOCK & READY TO SHIP

We're pleased to announce our in-demand aluminum and brass path lights and directional lights are now available in black as standard inventory items. In stock and ready to ship. Order yours today!

*Some fixtures below offer Wildlife-safe versions.  
Custom powder-coated color options for most fixtures are also available.*



**AMANI** | 490111-BLK  
Aluminum Path Light



**LEX** | 490105-BLK  
Aluminum Uplight



**BALI** | 490112-BLK  
Aluminum Path Light



**ANTIGUA** | 490110-BLK  
Aluminum Path Light



**ENCLAVE**  
489909-16- BLK  
489909-22- BLK  
Brass Path Light



**FAIRMONT**  
489920-BLK  
489920-FS-BLK  
(floating socket)  
Brass Uplight



**MIGHTY MIGHT**  
490003-BLK  
490003-FS-BLK  
(floating socket)  
Brass Uplight



**ICON**  
490001-BLK  
490001-FS-BLK  
(floating socket)  
Brass Uplight



**METROPOLITAN**  
490009-BLK  
Brass Wall Washer



**ZEN COMPLETE**  
490012-BLK  
Brass Path Light

# PACK A PUNCH WITH DAUER POWER PACKS

Our Dauer Power Packs provide everything you need for the perfect landscape lighting install. Choose from brass or aluminum fixtures and drop-in or integrated light sources.

Created with the budget-conscious customer in mind, our Power Pack starter kits allow your client to add on at their convenience while also allowing you to increase your bottom line.

## ALUMINUM DROP-IN POWER PACK 490305



4

**BALI**  
(6" hat)  
Path Lights  
w/ Stem




6

**LEX**  
Uplights

Add 250' of 12-2 wire to any Dauer Power Pack for a nominal charge. Ask your sales representative for more details.

## BRASS DROP-IN POWER PACK 490307



4

**ZEN**  
(6.3" hat)  
Path Lights  
w/ 18" Stem



6

**MIGHTY MIGHT**  
Uplights

**Drop-in Power Packs also include:** one 150W Professional Grade Transformer, one COSMO Astronomic Timer, four 3W SMD Bi-pin Lamps, six 5W MR16 Lamps, twenty Gator Byte Connectors and ten Heavy-duty Slotted Mounting Stakes.



## ALUMINUM INTEGRATED POWER PACK 490306



4

**CARMEL**  
(6.26" hat)  
Path Lights  
w/ Stem



6

**MIRAGE**  
40° | 27K & 3K  
Uplights

## BRASS INTEGRATED POWER PACK 490308



4

**NEWPORT**  
(6.26" hat)  
Path Lights



6

**BODACIOUS**  
45° | 27K & 3K  
Uplights

**Integrated Power Packs also include:** one 150W Professional Grade Transformer, one COSMO Astronomic Timer, twenty Gator Byte Connectors and ten Heavy-duty Slotted Mounting Stakes.



# WILDLIFE-SAFE LIGHTING

Select Dauer landscape fixtures and lamps are certified by the Florida Fish and Wildlife Conservation Commission and the U.S. Fish and Wildlife Service. Help protect sea turtles, migrating birds, and other creatures by pairing your fixtures with wildlife-safe Dauer lamps that produce a spectral output above 585 nanometers.



MR16 (5W)  
486821-WL  
(GU5.3 amber)



AMBER BI-PIN  
(1.5W)  
487124-WL



AMBER BI-PIN  
(3W)  
487125-WL



VENETIAN  
490076  
Brass  
Bi-Pin lamp




CRESCENT  
490075  
Brass  
Bi-Pin lamp



KONA-TIKI  
490022  
Brass  
Bi-Pin lamp



DHARMA  
489921  
Brass  
Bi-Pin lamp



MANDARIN  
490024  
Brass  
Bi-Pin lamp



BALI  
490112  
Aluminum  
Bi-Pin lamp



ZEN (6.3" hat)  
490020 (clear lens)  
490021 (frosted lens)



ZEN COMPLETE  
490012  
(hat & stem combo, clear lens)  
Brass Bi-Pin lamp

CHURCHILL  
490080  
Brass  
Bi-Pin lamp



TARA  
490114  
Aluminum  
Bi-Pin lamp



ANDROS  
490017  
Brass  
Bi-Pin lamp



BRISTOL  
490116  
Aluminum  
Bi-Pin lamp



ANTIGUA  
490110  
Aluminum  
Bi-Pin lamp



WINDSOR  
490016  
Brass  
Bi-Pin lamp



AMANI  
490111  
Aluminum  
Bi-Pin lamp



LOTUS  
490115  
Aluminum  
Bi-Pin lamp



ATLANTIS  
490019  
Brass  
Bi-Pin lamp



ENCLAVE  
489909-16"  
489909-22"  
Brass  
Bi-Pin lamp



Brass Path Light stem options: 10" stem 490025 16" stem 490023 18" stem 490026.

# OUR LUXURY COLLECTION OF BOLLARDS.

## PROUDLY MADE IN THE USA



**Center Square** | 489521 - 6x6x25  
 489522 - 6x6x42 | 489554 - 4x4x25 (17" vector)  
 489555 - 4x4x25 (8" vector) Uses MR8 or MR16 lamp

**Curvaceous**  
 489505 - 6x6x25 | 489506 - 6x6x42  
 Uses MR8 or MR16 lamp

**D-Vine**  
 489550 - 4x4x25 | 489529 - 6x6x25  
 489530 - 6x6x42 | Uses MR8 or MR16 lamp

## SILHOUETTE COLLECTION

Statuesque by day and celestial by night, our precision-formed *Silhouette Collection* of decorative bollards are made from the finest architectural-grade aluminum alloy, for remarkable strength and resistance to corrosion.

**Deco Drive**  
 489513 - 6x6x25 | 489514 - 6x6x42  
 Uses MR8 or MR16 lamp

**Garden Of Zen**  
 489501 - 6x6x25 | 489502 - 6x6x42  
 Uses MR8 or MR16 lamp

**Sailboat**  
 489533 - 6x6x25 | 489534 - 6x6x42  
 Uses MR8 or MR16 lamp

**Sunny Moon**  
 489509 - 6x6x25 | 489510 - 6x6x42  
 Uses MR8 or MR16 lamp

**Swirls**  
 489525 - 6x6x25 | 489526 - 6x6x42  
 Uses MR8 or MR16 lamp

**XO**  
 489552 - 4x4x25 | Uses MR8 or MR16 lamp  
 489537 - 6x6x25 | Uses MR8 or MR16 lamp  
 489538 - 6x6x42 | Uses MR8 or MR16 lamp

**Yin Yang Koi**  
 489517 - 6x6x25 | 489518 - 6x6x42  
 Uses MR8 or MR16 lamp

**Jade** | 600202 - 39" direct burial  
 600594 - 48" direct burial | 600620 - 39" surface mount  
 600622 - 48" surface mount

## MINIMALIST SERIES

Our Minimalist Series bollards are an excellent solution when a project involves the use of simple design elements, without ornamentation or decoration. This series pairs well with minimalist architectural designs.



Beach Club 6"×6"×25"  
489582  
MR16 lamp

Conrad 4"×4"×25"  
489577  
MR16 lamp

Sausalito 4"×4"×25"  
489580  
MR16 lamp

Tiburon 4"×4"×36"  
489581  
MR16 lamp

Turnberry 6"×6"×42"  
489583  
MR16 lamp

## GEOMETRICS COLLECTION

The Geometrics Collection introduces sculptural bollards defined by bold geometric forms, led by the Hexagon—engineered for strength, longevity, and architectural appeal.



Center Square Lantern  
489519 | 6"×6"×18" | MR16 lamp

## PIER MOUNTS

Our aluminum Pier Mounts secure easily to walls or other raised surfaces and cast enchanting shadows that create enhanced beauty to their immediate surroundings.



Hexagon  
489720 | 2"×2"×17"  
Aluminum Integrated



Center Square Bollard/Post-Top  
489520 | 6"×6"×18" | MR16 lamp

STRING LIGHTS

# BISTRO BOSS

Our Dauer Manufacturing professional-grade **BISTRO BOSS** string lights are designed with brass sockets utilizing Dauer brass-based lamps and are available in both inline and suspended options.


COMMERCIAL BISTRO STRING LIGHT  
Suspended Socket  
50' - 490952 | 100' - 490954 | 300' - 490956  
ST14 lamp | 12V or 120V  
Custom-cut sizes also available.

COMMERCIAL BISTRO STRING LIGHT  
Inline Socket  
50' - 490951 | 100' - 490953 | 300' - 490955  
ST14 lamp | 12V or 120V  
Custom-cut sizes also available.



## WE OFFER CUSTOM COLORS

Many of our Dauer fixtures can be powder-coated in custom colors. Standard architectural colors are white, black, and silver. Ask your Dauer representative for details on various colors and finishes available or how to create your own signature color!



# TRANSFORMERS & CONTROLS

High-quality transformers add to the efficiency and durability of your outdoor lighting project. All models conform to UL and ETL specifications and offer 92% to 95% regulation.



JARVIS 300W Wi-Fi®  
SMART Transformer  
490545 - Stainless Steel - 15V



150W PROFESSIONAL GRADE  
490541 - Stainless Steel  
12-15V



300W PROFESSIONAL GRADE  
490542 - Stainless Steel  
12-15V



600W PROFESSIONAL GRADE  
490543 - Stainless Steel  
12-22V



75W PROFESSIONAL GRADE  
Integrated Timer  
490549 - Stainless Steel - 12V



Astronomic  
Pluggable Timer  
DT200LT



PPC-8  
Pluggable Photocell  
600516



Astronomic Remote  
Waterproof Timer  
HB880



COSMO  
Astronomic Timer  
501067



SUNSET 12V  
A/C Dimmer  
501087

High-quality transformers add to the efficiency and durability of your outdoor lighting project.

Dauer transformers and controls offer options such as multitap selectable voltages, photocell sensors or sockets, timers or timer sockets, dimmers, and surge protection. All models conform to UL and ETL specifications and offer 92% to 95% regulation.

# LANDSCAPE LIGHTING MOUNTING OPTIONS

## TREE MOUNTS



**ANCHORAGE Tree Mount Strap Kits (alum.)**  
 490340 9" - 14" | 490341 15" - 22.5"  
 490342 24" - 31.5" | 490343 36" - 46.5"  
 490344 48" - 61.5"



**Brass Y-Bracket**  
 490045



**Tree Hugger Strap Kits (brass)**  
 490330 9" - 14" | 490331 15" - 22.5"  
 490332 24" - 31.5" | 490333 36" - 46.5"  
 490334 48" - 61.5"



**Optional Brass Tree Mount**  
 490046



*Pictured:*  
**SOHO fixture 489980 with brass tree hugger strap kit 490330**



**NEWHOUSE Brass Tree Mount**  
 490060



**ANCHORAGE Aluminum Tree Mount J-Box 490189**



**Aluminum Micro Surface Mount**  
 490186



**Brass Micro Surface Mount**  
 490049

## SPECIALTY & OTHER MOUNTING OPTIONS

**Aluminum Accessories for Iris Rotatable Mount 489879 & Shroud 489878**



**Aluminum Corner Mount for Cabana & La Grange 490198**



**Micro Mounting Stake & Shroud for Betsy 490199**



**Brass 1/2" Locknut 490042**



**Brass Electrical Mounting Plate (round) 490043**



**Brass Electrical Mounting Plate (rectangular) 490044**



**Brass Lanai Mount 490098**



**Brass Gutter Mount 490047**



**Brass Heavy Duty Gutter Mount 490059**



**Round 3-Hole Brass Surface Mount 490048**



**Brass Pier Mount 490057**



**Brass Direct Burial J-Box Knock-out Plug with Seal 490058-plug**



**Aluminum Tapered Mount 490187**



**Aluminum Gutter Mount 490188**



# LANDSCAPE LIGHTING ACCESSORIES

## ALUMINUM RISERS




## BRASS RISERS



## BRASS PATH LIGHT STEMS



## BRASS CONNECTORS



## BRASS TELESCOPIC RISERS

Brass Telescopic Risers  
(Adjustable, Seamless)  
490096 (8" - 12")  
490097 (16.5" - 26.5")




## HEAVY DUTY MOUNTING STAKES

Heavy-duty  
Slotted Mounting  
Stake  
490034



Heavy-duty  
Trident  
3-Prong Stake  
490036




Large Excalibur  
PVC Post  
Stake 490037




## OUR QUALITY LINE OF LIGHTING FIXTURES

Our signature lighting fixtures are meticulously crafted to meet the most discerning standards in the industry. Offering a variety of fixtures and finishes with varying wattages, color temperatures and beam spreads, Dauer is the premier, one-stop source for all your LED landscape lighting needs.



# BRASS INTEGRATED STEP LIGHTS

Our recessed step lights provide beautiful yet functional aesthetics, perfectly illuminating exterior spaces while enhancing the surrounding architectural elements.



4.6" wide



2.9" high

## BREAKERS

489927-2700K | 2.7W | 45lm  
489927-3000K | 2.7W | 48lm

5.5" wide



2.9" high

## CABO

489928-2700K | 4W | 353lm  
489928-3000K | 4W | 351lm

4.5" wide



2.9" high

## CAPE

489926-2700K | 2.7W | 18lm  
489926-3000K | 2.7W | 20lm

5.5" wide



2.9" high

## CATALINA

489929-2700K | 4W | 23lm  
489929-3000K | 4W | 18lm

4.5" wide



2.9" high

## HARBORVIEW

489925-2700K | 2.7W | 244lm  
489925-3000K | 2.7W | 267lm

9.3" wide



2.9" high

## ISLANDER

489931-2700K | 3.5W | 20lm  
489931-3000K | 3.5W | 21lm

9.3" wide



2.9" high

## RIPTIDE

489930-2700K | 3.5W | 296lm  
489930-3000K | 3.5W | 305lm

7.4" wide



1.77" high

## SEACOAST

489932-2700K | 1W | 13lm  
489932-3000K | 1W | 15lm




UPLIGHTS		UPLIGHTS		UPLIGHTS		DOWNLIGHTS		DOWNLIGHTS			
 <b>ALBANY</b> 490107	MR16 lamp A D	 <b>EVERGLADES</b> dual-source directional 489900	MR16 and MR8 lamps B D	 <b>MATRIX</b> See Integrated Directional LED chart on page 23 for options.	A I	 <b>WINSTAR</b> 490109	MR16 lamp A D	 <b>MATRIX</b> See Integrated Directional LED chart on page 23 for options.	A I		
 <b>LEX</b> 490105	MR16 lamp A D	 <b>FAIRMONT</b> 489920 489920-FS (floating socket) w/opt. 5" shroud 490055	MR16 lamp B D	 <b>MIRAGE</b> See Integrated Directional LED chart on page 23 for options.	Opt. 6" shroud 489849 A I	 <b>BEVERLY</b> 489982 with 5" shroud	MR16 lamp B D	 <b>MIRAGE</b> See Integrated Directional LED chart on page 23 for options.	Opt. 6" shroud 489849 A I		
 <b>ARIA 6" and 10"</b> 489917-UP6 (6")   489917-UP10 (10")	MR16 lamp B D	 <b>ICON</b> 490001 490001-FS (floating socket)	MR16 lamp B D	 <b>MIRAGE V-2</b> See Integrated Directional LED chart on page 23 for options.	Ext. Shroud 489146 (3/6W) Ext. Shroud 489147 (8/12/16W) A I	 <b>FISHER</b> 489981	MR16 lamp B D	 <b>MIRAGE V-2</b> See Integrated Directional LED chart on page 23 for options.	A I		
 <b>ASTOR</b> 490007 490007-FS (floating socket)	MR16 lamp B D	 <b>MIGHTY MIGHT</b> 490003 490003-FS (floating socket)	MR16 lamp B D	 <b>BODACIOUS</b> See Integrated Directional LED chart on page 22 for options.	B I	 <b>PRESCOTT</b> 490004	MR16 lamp B D	 <b>MOONDANCE</b> 489149-65 (8W) 489149-100 (8W) 489150-100 (12W) 489151-100 (16W) See Integrated Directional LED chart on page 23 for options.	Ext. Shroud 489146 (3/6W) Ext. Shroud 489147 (8/12/16W) A I		
 <b>EPIC</b> 490015	PAR36 lamp B D	 <b>PRESCOTT</b> 490004	MR16 lamp B D	 <b>BODACIOUS</b> Opt. 6" extended shrouds Shroud only - 490260   3W & 6W 490261   8W, 12W & 16W	B I	 <b>SOHO</b> 489980	MR16 lamp B D	 <b>BODACIOUS</b> See Integrated Directional LED chart on page 22 for options.	B I		
 <b>ELLIOTT</b> 490014 with 5" shroud	PAR36 lamp B D	 <b>RONEY</b> 489990	MR8 lamp B D	 <b>ELEMENT</b> See Integrated Directional LED chart on page 23 for options.	B I	 <b>WATERFORD</b> 489915 490054 (opt. 5" shroud)	MR16 lamp B D	 <b>BODACIOUS</b> Opt. 6" extended shrouds Shroud only - 490260   3W & 6W 490261   8W, 12W & 16W	B I		
<b>PENDANT</b>		<b>SAVANNAH</b> 489901		<b>WALL SCONCES</b>		 <b>ELEMENT</b> See Integrated Directional LED chart on page 23 for options.		B I			
 <b>STARDUST</b> 489924 MR16 or Bi-Pin lamp		MR16 lamp B D		 <b>CABANA</b> 490090		2.3" wide MR16 lamp 6.75" high B D		 <b>VICEROY</b> 600580		5" wide MR16 lamp 16" high A D	
8.5" high 3.5" wide Canopy mount included		MR16 lamp B D		 <b>LA GRANGE</b> 490091		2.4" wide MR16 lamp 5" high B D		 <b>MAUI</b> 489860-2700K polished   489861-3000K polished 489862-2700K oxidized   489863-3000K oxidized		3" wide 9" high C I	

FINISH: **A** Aluminum **B** Brass **C** Copper **SS** Stainless Steel

FIXTURE: **D** Drop-In **I** Integrated

PATH LIGHTS	PATH LIGHTS	PATH LIGHTS	PATH LIGHTS	PATH LIGHTS
 <p>AMANI (8" hat) 490111</p> <p>Bi-Pin lamp</p> <p>A D</p>	 <p>ARIA 16" &amp; 20" 489917-P16 (16") 489917-P20 (20")</p> <p>Bi-Pin lamp</p> <p>B D</p>	 <p>OMNI HALF-CUT (6.5" x 4.4" hat) 489905</p> <p>Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026</p> <p>B D</p>	 <p>CARMEL (6.26" hat) 489156-2700K   3W   300lm 489156-3000K   3W   300lm</p> <p>Bi-Pin lamp</p> <p>A I</p>	 <p><b>NEW</b></p> <p>ARCHER SR. 24" &amp; 30" 489914-24-2700K   4W   300lm 489914-24-3000K   4W   300lm 489914-30-2700K   4W   300lm 489914-30-3000K   4W   300lm</p> <p>B I</p>
 <p>ANTIGUA (6" hat) 490110</p> <p>Bi-Pin lamp</p> <p>A D</p>	 <p>ARIA II 21" 489917-2XP21</p> <p>MR16 lamp</p> <p>B D</p>	 <p>PAXTON 489906</p> <p>Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026</p> <p>B D</p>	 <p>DAVOS 489160-18-27K-60   3.5W   323lm 489160-18-3K-60   3.5W   351lm</p> <p>Bi-Pin lamp</p> <p>A I</p>	 <p>BELMONT See Integrated Directional LED chart on page 22 for options.</p> <p>B I</p>
 <p>BALI (6" hat) 490112</p> <p>Bi-Pin lamp</p> <p>A D</p>	 <p>ATLANTIS (4" hat) 490019 Stem included.</p> <p>Bi-Pin lamp</p> <p>B D</p>	 <p>REGENT 489912</p> <p>MR8 lamp</p> <p>B D</p>	 <p>FRESNO (6.21" hat) 489152-2700K   2W   200lm 489152-3000K   2W   200lm</p> <p>Bi-Pin lamp</p> <p>A I</p>	 <p>DRAKE See Integrated Directional LED chart on page 22 for options.</p> <p>B I</p>
 <p>BRISTOL (8.5" hat) 490116</p> <p>Bi-Pin lamp</p> <p>A D</p>	 <p><b>NEW</b></p> <p>DHARMA (6" hat) 489921</p> <p>Bi-Pin lamp</p> <p>B D</p>	 <p>SKY 489908</p> <p>MR16 or Bi-Pin lamp</p> <p>B D</p>	 <p>MONTEREY (8.26" hat) 489157-2700K   5W   571lm 489157-3000K   5W   523lm 489158-2700K   3W   347lm 489158-3000K   3W   347lm</p> <p>Bi-Pin lamp</p> <p>A I</p>	 <p>ELATION 16" &amp; 22" 489870-16-2700K 489870-16-3000K 489871-22-2700K 489871-22-3000K</p> <p>B I</p>
 <p>LOTUS (6" hat) 490115</p> <p>Bi-Pin lamp</p> <p>A D</p>	 <p>ENCLAVE 16" &amp; 22" 489909-16 489909-22</p> <p>Bi-Pin lamp</p> <p>B D</p>	 <p>TAJ 489913</p> <p>MR8 lamp</p> <p>B D</p>	 <p><b>NEW</b></p> <p>QUATTRO 489162-2700K-BLK 489162-3000K-BLK</p> <p>Bi-Pin lamp</p> <p>A I</p>	 <p>HEMINGWAY (8.5" hat) 489916-2700K   3W   300lm 489916-3000K   3W   300lm</p> <p>B I</p>
 <p>TARA (6" hat) 490114</p> <p>Bi-Pin lamp</p> <p>A D</p>	 <p>FIREFLY 489904</p> <p>MR16</p> <p>B D</p>	 <p>TORTUGA w/ Citronella torch (8" hat) 490028</p> <p>MR16 or Bi-Pin lamp 60" stem (490027) and Excalibur mounting stake included</p> <p>B D</p>	 <p>RAVEN 489161-18-27K-60   7W total   323lm/head 489161-18-3K-60   7W total   351lm/head</p> <p>Bi-Pin lamp</p> <p>A I</p>	 <p>MARLEY (6.6" hat) 489903-2700K   3W   300lm 489903-3000K   3W   300lm</p> <p>B I</p>
 <p>ANDROS (8.5" hat) 490017</p> <p>Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026</p> <p>B D</p>	 <p>KONA-TIKI (7.5" hat) 490022</p> <p>Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026</p> <p>B D</p>	 <p>WINDSOR (6" hat) 490016</p> <p>Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026</p> <p>B D</p>	 <p>SONOMA (8.5" hat) 489154-2700K   3W   300lm 489154-3000K   3W   300lm</p> <p>Bi-Pin lamp</p> <p>A I</p>	 <p>NEWPORT (6" hat) 489903-2700K   3W   300lm 489903-3000K   3W   300lm</p> <p>B I</p>
 <p>ARCHER 19" 489910</p> <p>Bi-Pin lamp</p> <p>B D</p>	 <p>MANDARIN (12" hat) 490024</p> <p>Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026</p> <p>B D</p>	 <p>ZEN (6.3" hat) 490020 (clear lens) 490021 (frosted lens) ZEN COMPLETE 490012 (hat &amp; stem combo, clear lens)</p> <p>Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026</p> <p>B D</p>	 <p><b>NEW</b></p> <p>ZIGGY 16" &amp; 22" 489159-16-2700K 489159-16-3000K 489159-22-2700K 489159-22-3000K</p> <p>Bi-Pin lamp</p> <p>A I</p>	 <p>RAINIER 489911-2700K   4W 489911-3000K   4W 313lm (clear lens), 208lm or 155lm (frosted lens)</p> <p>B I</p>

Lamps, where indicated with the drop-in fixtures, are sold separately. All aluminum Path Light hats come with stems and stakes included. Stems for all applicable brass Path Light hats are interchangeable and must be purchased separately, unless otherwise noted. Mounts for all downlight fixtures are sold separately.

RAIL, DECK & DOCK LIGHTS	WALL WASHERS	MARKER LIGHTS	MARKER LIGHTS
 <p>3.6" wide 1.8" high</p> <p>Bi-Pin lamp</p> <p><b>CRESCENT</b> 490075</p> <p>B D</p>	 <p>MR16 lamp</p> <p><b>HIDEAWAY</b> 490061</p> <p>A D</p>	 <p>1.75" wide 2.75" high</p> <p>MR8 lamp</p> <p><b>BRECKENRIDGE</b> 489992</p> <p>B D</p>	 <p>1.6" wide 2.5" high</p> <p><b>DUNES</b> 489881-2700K   1W   21lm 489881-3000K   1W   28lm</p> <p>SS I</p>
 <p>3.5" wide 1.7" high</p> <p>Bi-Pin lamp</p> <p><b>VENETIAN</b> 490076</p> <p>B D</p>	 <p>Bi-Pin lamp</p> <p><b>BEACON</b> 490053</p> <p>B D</p>	 <p>1.75" wide 2.75" high</p> <p>MR8 lamp</p> <p><b>NOBLE</b> 489994</p> <p>B D</p>	 <p>1.6" wide 2.5" high</p> <p><b>ELLIE</b> 489883-2700K   1W   7lm 489883-3000K   1W   6lm</p> <p>SS I</p>
 <p>1" wide 1.3" high</p> <p><b>BETSY</b> 490073-2700K   490073-3000K 1W   120lm</p> <p>A I</p>	 <p>MR16 lamp</p> <p><b>DIPLOMAT</b> 490010</p> <p>B D</p>	 <p>1.75" wide 2.75" high</p> <p>MR8 lamp</p> <p><b>WILLOW</b> 489993</p> <p>B D</p>	 <p>1.6" wide 2.5" high</p> <p><b>NOOR</b> 489885-2700K   1W   15lm 489885-3000K   1W   14lm</p> <p>SS I</p>
 <p>1.9" wide 1.1" high</p> <p><b>BUTTONWOOD</b> 490074-2700K   490074-3000K 1W   150lm</p> <p>A I</p>	 <p>Bi-Pin lamp</p> <p><b>METROPOLITAN</b> 490009</p> <p>B D</p>	 <p>1.6" wide 2.5" high</p> <p><b>BOWIE</b> 489873-2700K   1W   19lm 489873-3000K   1W   27lm</p> <p>B I</p>	 <p>1.6" wide 2.5" high</p> <p><b>RAIDEN</b> 489886-3000K   1W   12lm</p> <p>SS I</p>
 <p>3.31" wide 1.13" high</p> <p><b>AVALON</b> 490095-2700K   490095-3000K</p> <p>B I</p>	 <p><b>ALUMINUM LED</b> mini flood w/ opt. shroud See Integrated Directional LED chart on page 24 for options.</p> <p>A I</p>	 <p>1.6" wide 2.5" high</p> <p><b>HENDRIX</b> 489872-2700K   1W   51lm 489872-3000K   1W   67lm</p> <p>B I</p>	 <p>1.6" wide 2.5" high</p> <p><b>SANDPIPER</b> 489880-2700K   1W   51lm 489880-3000K   1W   67lm</p> <p>SS I</p>
 <p>4.5" wide 6.6" long</p> <p><b>MARINER</b> Double-aperture 489935-2700K   489935-3000K 2.2W   220lm</p> <p>B I</p>	 <p><b>2W ALUMINUM</b> MINI FLOOD 490061   490062</p> <p>A I</p>	 <p>1.6" wide 2.5" high</p> <p><b>JAGGER</b> 489874-2700K   1W   21lm 489874-3000K   1W   28lm</p> <p>B I</p>	 <p>1.6" wide 2.5" high</p> <p><b>SENARA</b> 489884-2700K   1W   11lm 489884-3000K   1W   11lm</p> <p>SS I</p>
 <p>4.5" wide 6.6" long</p> <p><b>MARINER</b> Single-aperture 489934-2700K   489934-3000K 2.2W   220lm</p> <p>B I</p>	 <p><b>BILTMORE</b> See Integrated Directional LED chart on page 24 for options.</p> <p>B I</p>	<p><b>NEW WALL WASHER</b></p>  <p><b>REMINGTON</b> Wall Washer with Stake 489888-2W-2700K   140lm 489888-2W-3000K   140lm 489888-4W-2700K   280lm 489888-4W-3000K   280lm</p> <p>B I</p>	
 <p>2.4" wide 3" high</p> <p><b>VIBE</b> Black 489997-2700K   3W   215lm 489997-3000K   3W   240lm</p> <p>B I</p>	 <p><b>WALDORF</b> See Integrated Directional LED chart on page 24 for options.</p> <p>B I</p>	 <p>1.6" wide 2.5" high</p> <p><b>WYNN</b> 489882-2700K   1W   19lm 489882-3000K   1W   27lm</p> <p>SS I</p>	

INGROUND LIGHTS		INGROUND LIGHTS		HARDSCAPE LIGHTS	
 <p><b>BENTLEY</b> 490063</p> <p>4.7" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>ROSEWOOD</b> 490070</p> <p>5.5" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>CHURCHILL</b> 490080</p> <p>7" wide Bi-Pin lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>AXLE</b> 490085-2W-2700K   490085-2W-3000K 490085-4W-2700K   490085-4W-3000K 140lm (2W) or 280lm (4W) (factory installed clear lens)</p> <p>45° Angle 90° Angle</p> <p><b>B</b> <b>I</b></p>		
 <p><b>CHELSEA</b> 490062</p> <p>4" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>SOLARA</b> 490066</p> <p>3.8" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>MANCHESTER</b> 490128-2W-2700K   490128-2W-3000K 490128-4W-2700K   490128-4W-3000K 140lm (2W) or 280lm (4W) (factory installed clear lens)</p> <p>6.8" wide</p> <p><b>A</b> <b>I</b></p>	 <p><b>TIMBERLINE</b> 490082-2W-2700K   490082-2W-3000K 490082-4W-2700K   490082-4W-3000K 140lm (2W) or 280lm (4W) (factory installed clear lens)</p> <p>6.8" wide IP66 rated</p> <p><b>B</b> <b>I</b></p>		
 <p><b>CONTEMPORARY</b> 490068</p> <p>4.7" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>TIDES</b> 490064</p> <p>3.8" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>MANCHESTER JR</b> 490127-2700K   490127-3000K 2.2W   220lm (factory installed clear lens)</p> <p>4" wide</p> <p><b>A</b> <b>I</b></p>	 <p><b>TIMBERLINE JR.</b> 490081-2700K   490081-3000K 1W   220lm (factory installed clear lens)</p> <p>4" wide</p> <p><b>B</b> <b>I</b></p>		
 <p><b>DELANO</b> 490065</p> <p>3.8" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>WENTWORTH</b> 490071</p> <p>6.5" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>MANCHESTER SR</b> 490129-2700K   490129-3000K 4W   313lm (factory installed clear lens)</p> <p>12" wide</p> <p><b>A</b> <b>I</b></p>	 <p><b>TIMBERLINE SR.</b> 490083-2700K   490083-3000K 4W   313lm (factory installed clear lens)</p> <p>12" wide</p> <p><b>B</b> <b>I</b></p>		
 <p><b>PALMS</b> 490069</p> <p>4.7" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	 <p><b>ZEPHYR</b> 490067</p> <p>4.7" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	<p>All hardscapes are offered with a quick disconnect option. To order, add a "-QD" after the respective fixture order number. For example, to order the Timberline with quick disconnect, order as 490082-2W-2700K-QD. Achieve approx. 33% lumen reduction with a lightly frosted lens. Achieve approx. 50% lumen reduction with a heavier frosted lens. Amber lens: Achieve approx. 60% lumen reduction for a dramatic ultra-warm effect.</p>			
 <p><b>PARKER</b> 490072</p> <p>6.5" wide MR16 lamp</p> <p><b>B</b> <b>D</b></p>	<p><b>NICHE LIGHTING</b></p>  <p><b>IRIS</b>   489875 1.7W   40°   3000K   150lm</p> <p>1.75" wide .95" high</p> <p><b>SS</b> <b>I</b></p>				
<p><b>ORSON WELL LIGHT Complete Assembly &amp; Covers</b></p>				<p><b>SUBMERSIBLES</b></p>	
 <p><b>ORSON</b>   490180 Well light body &amp; gimbal with rock guard cover</p>	 <p>490170   Well light body &amp; gimbal with aluminum black angled cover</p>	 <p>490171   Well light body &amp; gimbal with brass angled cover.</p>	 <p><b>BETSY</b> 490073-2700K   490073-3000K 1W   120lm</p> <p>1" wide 1.3" high</p> <p><b>A</b> <b>I</b></p>	<p><b>NEW</b></p>  <p><b>NEMO</b> 489998   3W   60° 3000K   190lm</p> <p>2.86" wide 4.84" high</p> <p><b>B</b> <b>I</b></p>	
 <p>490172   Aluminum black flat cover.</p>	 <p>490173   Brass flat cover. Architectural bronze finish.</p>	 <p>490175   Brass angled cover. Architectural bronze finish.</p>			



BRERA



GLENCREST



GOLDENGROVE



HILLSIDE



JACKS



JASPER



JUBILEE



KESTRELS



LIONEL

# NEW: EXTERIOR LIGHTING & OUTDOOR COMFORT, REFINED

POST LIGHTS | COACH LIGHTS  
WALL SCONCES  
OUTDOOR CEILING FANS

Our expanded 12V exterior collection —also available in 120V— brings architectural lighting and outdoor airflow together in one streamlined solution. From entryways and walkways to patios, porches, and covered outdoor spaces, our post lights, coach lights, wall sconces, and wet-rated ceiling fans enhance visibility, comfort, and curb appeal across residential applications. Built for performance and durability, these additions continue to expand our exterior solutions alongside ASCEND by Dauer permanent architectural lighting and LUMIFY by Dauer commercial lighting—proudly offered by Dauer Manufacturing.



MISSION BAY



OVERTON



TAPLOW

# OUR NEW LINE OF PERMANENT ARCHITECTURAL LIGHTING

**ASCEND**  
by **Dauer**  
MANUFACTURING®

With decades of expertise in creating high-quality lighting solutions, we are proud to expand into permanent architectural lighting for residential and commercial exteriors. Whether you're celebrating a holiday, supporting your favorite team, or hosting a special event, our lighting makes it easy to set the perfect ambiance with customizable, app-controlled, color-changing lights.





**FEATURES:**

- Individually addressable lights
- 40" aluminum track sections with custom track colors & fabrication
- Dual diodes RGB & 3000K white on each light
- Power injected every 75 bulbs
- UL- & ETL-certified & IP67 rated
- Lifetime warranty
- Wi-Fi® & APP based – control from anywhere
- Oriented down or out
- Easy to use and install
- Unlimited functions
- Large IP67 coax connections

**Tracks:**

- Single track (40" L x 1-5/8" W x 6/8" T)
- Double track
- Parapet track - 90°

**Diodes:**

- Available in clear or black


**Accessories:**

- Control box location: indoor or outdoor
- Controller capacity – 2048 lights for single channel
- Standard transformer sizes: 350W and 600W
- IP67 CAPS for end of system run

**DETAILS:**

**Lights:**

- Many functions including chase, stack, run, soffit lighting & more
- String lengths (lights per section) – 1 (8") and 5 (40")
- Lights spaced at 8"
- 3 split RGBW diodes per puck
- Warm white color – 3000K
- Voltage: 12V
- Lights are dimmable
- Lights can sync to music
- Lights can be individually controlled



*ASCEND by Dauer lights are controlled by the click of a button on the app.*



*Ask us about our ASCEND by Dauer demo kit!*



# INTEGRATED DIRECTIONAL LEDs



## BODACIOUS Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
490200 - 490201	3W	291 - 275lm	30° - 45°	2700K
490202 - 490203	3W	246 - 217lm	65° - 100°	2700K
490204 - 490205	3W	306 - 278lm	30° - 45°	3000K
490206 - 490207	3W	255 - 248lm	65° - 100°	3000K
490208 - 490209	6W	389 - 426lm	30° - 45°	2700K
490210 - 490211	6W	357 - 332lm	65° - 100°	2700K
490212 - 490213	6W	380 - 455lm	30° - 45°	3000K
490214 - 490215	6W	397 - 357lm	65° - 100°	3000K
490216 - 490217	8W	862 - 796lm	30° - 45°	2700K
490218 - 490219	8W	608 - 515lm	65° - 100°	2700K
490220 - 490221	8W	823 - 777lm	30° - 45°	3000K
490222 - 490223	8W	592 - 504lm	65° - 100°	3000K
490224 - 490225	8W	734 - 600lm	65° - 100°	5000K
490230 - 490231	12W	1198 - 1127lm	30° - 45°	3000K
490232 - 490233	12W	889 - 730lm	65° - 100°	3000K
490234 - 490235	12W	973 - 788lm	65° - 100°	5000K
490240 - 490241	16W	1431 - 1357lm	30° - 45°	3000K
490242 - 490243	16W	1074 - 866lm	65° - 100°	3000K
490244 - 490245	16W	1231 - 967lm	65° - 100°	5000K

FINISH/COLOR: Cast Brass/Weathered Brass

## HARVEST MOON Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
490267-65	8W	644lm	65°	5700K   Mercury Vapor effect
490267-100	8W	644lm	100°	5700K   Mercury Vapor effect
490268-65	12W	630lm	65°	5700K   Mercury Vapor effect
490268-100	12W	630lm	100°	5700K   Mercury Vapor effect
490269-65	16W	832lm	65°	5700K   Mercury Vapor effect
490269-100	16W	832lm	100°	5700K   Mercury Vapor effect

FINISH/COLOR: Cast Brass/Weathered Brass

## BELMONT Path Light

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489918-24-2725	3.5W	339lm	25°	2700K
489918-24-2740	3.5W	316lm	40°	2700K
489918-24-2760	3.5W	323lm	60°	2700K
489918-24-27100	3.5W	275lm	100°	2700K
489918-24-3025	3.5W	343lm	25°	3000K
489918-24-3040	3.5W	343lm	40°	3000K
489918-24-3060	3.5W	351lm	60°	3000K
489918-24-30100	3.5W	296lm	100°	3000K

FINISH/COLOR: Cast Brass/Weathered Brass

## DRAKE Path Light

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489919-24-2725	3.5W	339lm	25°	2700K
489919-24-2740	3.5W	316lm	40°	2700K
489919-24-2760	3.5W	323lm	60°	2700K
489919-24-27100	3.5W	275lm	100°	2700K
489919-24-3025	3.5W	343lm	25°	3000K
489919-24-3040	3.5W	343lm	40°	3000K
489919-24-3060	3.5W	351lm	60°	3000K
489919-24-30100	3.5W	296lm	100°	3000K

FINISH/COLOR: Cast Brass/Weathered Brass

# INTEGRATED DIRECTIONAL LEDs

## ELEMENT Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489891 - 489892 - 489893 - 489894	3.5W	339 - 316 - 323 - 275lm	25° - 40° - 60° - 100°	2700K
489896 - 489897 - 489898 - 489899	3.5W	343 - 343 - 351 - 296lm	25° - 40° - 60° - 100°	3000K

FINISH/COLOR: Cast Brass/Weathered Brass

## MATRIX Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489170 - 489171 - 489172 - 489173	3.5W	339 - 316 - 323 - 275lm	25° - 40° - 60° - 100°	2700K
489174 - 489175 - 489176 - 489177	3.5W	343 - 343 - 351 - 296lm	25° - 40° - 60° - 100°	3000K

FINISH/COLOR: Aluminum/Architectural Bronze

## MIRAGE Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489851 - 489852 - 489853	3W	294lm	25° - 40° - 60°	2700K
489856 - 489857 - 489858	3W	315lm	25° - 40° - 60°	3000K
489801 - 489802 - 489803	6W	516lm	25° - 40° - 60°	2700K
489806 - 489807 - 489808	6W	546lm	25° - 40° - 60°	3000K

FINISH/COLOR: Aluminum/Architectural Bronze. *Optional 6" shroud sold separately. #489849*

## MIRAGE-V2 Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489108	6W	387.2lm	30°	2700K
489109	6W	424lm	45°	2700K
489110	6W	358.9lm	65°	2700K
489111	6W	328.9lm	100°	2700K
489112	6W	378.1lm	30°	2700K
489113	6W	454.8lm	45°	2700K
489114	6W	394.8lm	65°	3000K
489115	6W	358.6lm	100°	3000K
489120	8W	793.2lm	30°	3000K
489121	8W	754lm	45°	3000K
489122	8W	604.3lm	65°	3000K
489124	8W	421.7lm	65°	5000K
489125	8W	600.5lm	100°	5000K
489130	12W	1199lm	30°	3000K
489131	12W	1126lm	45°	3000K
489132	12W	890lm	65°	3000K
489133	12W	729lm	100°	3000K
489134	12W	974lm	65°	5000K
489135	12W	787lm	100°	5000K
489140	16W	1429lm	30°	3000K
489141	16W	1355lm	45°	3000K
489142	16W	1071lm	65°	3000K
489143	16W	884lm	100°	3000K
489144	16W	1228lm	65°	5000K
489145	16W	969lm	100°	5000K

FINISH/COLOR: Cast Aluminum/Architectural Bronze.

## MOONDANCE Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489149-65	8W	664lm	65°	5700K   Mercury Vapor effect
489149-100	8W	664lm	100°	5700K   Mercury Vapor effect
489150-65	12W	630lm	65°	5700K   Mercury Vapor effect
489150-100	12W	630lm	100°	5700K   Mercury Vapor effect
489151-65	16W	775lm	65°	5700K   Mercury Vapor effect
489151-100	16W	775lm	100°	5700K   Mercury Vapor effect

FINISH/COLOR: Cast Aluminum/Architectural Bronze

# INTEGRATED DIRECTIONAL LEDs



	WALDORF	BILTMORE	BILTMORE	BILTMORE
ORDER NO.	489938   489939	489960   489961	489940   489941   489943   489944	489946   489947
WATTAGE	2W	4W	7W - 7W - 12W - 12W	20W
LUMENS	153lm - 200lm	312lm - 356lm	544lm - 626lm - 918lm - 1044lm	1720lm - 1780lm
BEAM SPREAD	150° (7h x 7v)	150°	150°	150°
COLOR TEMP	2700K   3000K	2700K   3000K	2700K   3000K	2700K   3000K
FINISH/COLOR	Solid Brass/Weathered Brass	Cast Brass/Weathered Brass	Cast Brass/Weathered Brass	Cast Brass/Weathered Brass

ALUMINUM LED MINI FLOOD				
ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
490680	4W	312lm	150°	2700K
490681	4W	348lm	150°	3000K
490682	4W	384lm	150°	4000K
490683	4W	420lm	150°	5000K
490664	7W	600lm	150°	4000K
490668	7W	700lm	150°	5000K
490684	7W	550lm	150°	2700K
490685	7W	600lm	150°	3000K
490665	12W	1000lm	150°	4000K
490669	12W	1100lm	150°	5000K
490686	12W	900lm	150°	2700K
490687	12W	1000lm	150°	3000K
490666	20W	1700lm	150°	4000K
490677	20W	2326lm	150°	5000K
490688	20W	1700lm	150°	2700K
490689	20W	1700lm	150°	3000K
490670	40W	3400lm	150°	4000K
490678	40W	4860lm	150°	5000K
490690	40W	3400lm	150°	2700K
490691	40W	3400lm	150°	3000K



FINISH/COLOR: Aluminum/Architectural Bronze. *Optional shroud sold separately.*

4" & 6" shroud featured.

4-inch and 6-inch shrouds are available.

Small shrouds are compatible with all 4W, 7W and 12W mini floods.  
4-inch (490698), 6-inch (490701).

Medium shrouds are compatible with all 20W mini floods.  
4-inch (490699)

Large shrouds are compatible with all 40W mini floods.  
and 4-inch (490700)




# LED LOW-VOLTAGE LAMPS



AMBER BI-PINS  
*Wildlife-safe*



BAYONET ENCAPSULATED LED



BI-PIN ENCAPSULATED LED



MR8 LED



MR8 LED



MR16



MR16



PAR36



S8 AUTO-TYPE  
WEDGE BASE



ST14 LED  
FILAMENT BULB



T5-STYLE  
WEDGE-BASE



TORPEDO FILAMENT  
*with candelabra*

Dauer's LED lighting systems are prized for their elegant designs and beautiful yet highly efficient light output. All Dauer LED lamps and fixtures are UL- and/or ETL-listed for our U.S. and Canadian markets.

## LED LOW-VOLTAGE LAMPS

ORDER NO.	WATTAGE	LUMENS	COLOR TEMP	BEAM SPREAD	BASE
<b>Wildlife Colors</b>					
486821-WL (MR-16)	4W		Amber-WL		GU5.3 bi-pin
487124-WL (Bi-Pin)	1.5W		Amber-WL		G4
487125-WL (Bi-Pin)	3W		Amber-WL		G4
<b>Mini-Encapsulated LED</b>					
487144-2700K	3W	220lm	27K		BA15S (single contact)
487144-3000K	3W	220lm	3K		BA15S (single contact)
487145-2700K	4W	320lm	27K		BA15S (single contact)
487145-3000K	4W	320lm	3K		BA15S (single contact)
487147-2700K	3W	220lm	27K		BA15D (double contact)
487147-3000K	3W	220lm	3K		BA15D (double contact)
487155-2700K	2W	105lm	27K		Wedge
487155-3000K	2W	105lm	3K		Wedge
487164-2700K	3W	220lm	27K		S8 wedge
487164-3000K	3W	240lm	3K		S8 wedge
487170-2700K	2W	210lm	27K		G4
487170-3000K	2W	210lm	3K		G4
487172-2700K	2W - frosted glass	210lm	27K		G4
487172-3000K	2W - frosted glass	210lm	3K		G4
487173-2700K	2W	210lm	27K		GY.6.35

DAUER LOW-VOLTAGE LED LAMPS

ORDER NO.	WATTAGE	LUMENS	COLOR TEMP	BEAM SPREAD	BASE
<b>Mini-Encapsulated LED</b>					
487173-3000K	2W	210lm	3K		GY.6.35
487174-2700K	3W	350lm	27K		G4
487174-3000K	3W	350lm	3K		G4
487175-2700K	3W	350lm	27K		GY.6.35
487175-3000K	3W	350lm	3K		GY.6.35
487192-2700K	3W	230lm	27K		G4
487192-3000K	3W	230lm	3K		G4
487194-2700K	3W	230lm	27K		GY.6.35
487194-3000K	3W	230lm	3K		GY.6.35
487196-2700K	4W	280lm	27K		G4
487196-3000K	4W	280lm	3K		G4
487198-2700K	4W	280lm	27K		GY.6.35
487198-3000K	4W	280lm	3K		GY.6.35
487199-2700K	4W	440lm	27K		GY.6.35
487199-3000K	4W	440lm	3K		GY.6.35
<b>MR8 LED</b>					
486721	2.5W	180lm	27K	38°	GU4
486722	2.5W	180lm	27K	60°	GU4
486725	2.5W	180lm	3K	38°	GU4
486726	2.5W	180lm	3K	60°	GU4
486800	2W	200lm	27K	60°	GU4
486801	2W	200lm	27K	100°	GU4
<b>MR16</b>					
486701	2W	255lm	27K	15°	GU5.3
486702	2W	253lm	27K	25°	GU5.3
486703	2W	242lm	27K	40°	GU5.3
486704	2W	243lm	27K	60°	GU5.3
486705	2W	239lm	27K	120°	GU5.3
486706	2W	274lm	3K	15°	GU5.3
486707	2W	264lm	3K	25°	GU5.3
486708	2W	250lm	3K	40°	GU5.3
486709	2W	246lm	3K	60°	GU5.3
486710	2W	247lm	3K	120°	GU5.3
487039	2W	160lm	27K	25°	GU5.3
487044	2W	160lm	3K	40°	GU5.3
487048	2W	160lm	3K	60°	GU5.3
487051	2W	160lm	27K	100°	GU5.3
487052	2W	160lm	3K	100°	GU5.3
486733	3W	300lm	27K	15°	GU5.3
486734	3W	255lm	27K	25°	GU5.3
486735	3W	255lm	27K	40°	GU5.3
486736	3W	255lm	27K	60°	GU5.3
486737	3W	282lm	27K	120°	GU5.3
486738	3W	321lm	3K	15°	GU5.3
486739	3W	270lm	3K	25°	GU5.3
486740	3W	270lm	3K	40°	GU5.3
486741	3W	270lm	3K	60°	GU5.3
486742	3W	270lm	3K	120°	GU5.3
486743	4W	340lm	27K	15°	GU5.3
486744	4W	340lm	27K	25°	GU5.3
486745	4W	340lm	27K	40°	GU5.3
486746	4W	340lm	27K	60°	GU5.3
486747	4W	340lm	27K	120°	GU5.3
486748	4W	360lm	3K	15°	GU5.3
486749	4W	360lm	3K	25°	GU5.3
486750	4W	360lm	3K	40°	GU5.3
486751	4W	360lm	3K	60°	GU5.3
486752	4W	360lm	3K	120°	GU5.3
486781	4W	240lm	27K	25°	GU5.3
486782	4W	240lm	27K	40°	GU5.3
486783	4W	240lm	27K	60°	GU5.3
486784	4W	240lm	27K	100°	GU5.3
487054	4W	250lm	3K	15°	GU5.3
487057	4W	250lm	3K	25°	GU5.3
487060	4W	250lm	3K	40°	GU5.3
487063	4W	250lm	3K	60°	GU5.3
487066	4W	250lm	3K	100°	GU5.3
486753	5W	425lm	27K	15°	GU5.3
486754	5W	425lm	27K	25°	GU5.3
486755	5W	425lm	27K	40°	GU5.3
486756	5W	425lm	27K	60°	GU5.3
486757	5W	425lm	27K	120°	GU5.3
486758	5W	450lm	3K	15°	GU5.3
486759	5W	450lm	3K	25°	GU5.3
486760	5W	450lm	3K	40°	GU5.3
486761	5W	450lm	3K	60°	GU5.3
486762	5W	450lm	3K	120°	GU5.3

DAUER LOW-VOLTAGE LED LAMPS

ORDER NO.	WATTAGE	LUMENS	COLOR TEMP	BEAM SPREAD	BASE
<b>MR16</b>					
486763	6W	510lm	27K	15°	GU5.3
486764	6W	510lm	27K	25°	GU5.3
486765	6W	510lm	27K	40°	GU5.3
486766	6W	510lm	27K	60°	GU5.3
486768	6W	540lm	3K	15°	GU5.3
486769	6W	540lm	3K	25°	GU5.3
486770	6W	540lm	3K	40°	GU5.3
486771	6W	540lm	3K	60°	GU5.3
486772	6W	540lm	3K	120°	GU5.3
486792	6W	380lm	27K	40°	GU5.3
486793	6W	380lm	27K	60°	GU5.3
486711	7W	600lm	27K	15°	GU5.3
486712	7W	600lm	27K	25°	GU5.3
486713	7W	600lm	27K	40°	GU5.3
486714	7W	600lm	27K	60°	GU5.3
486715	7W	600lm	27K	120°	GU5.3
486716	7W	630lm	3K	15°	GU5.3
486717	7W	630lm	3K	25°	GU5.3
486718	7W	630lm	3K	40°	GU5.3
486719	7W	630lm	3K	60°	GU5.3
486720	7W	630lm	3K	120°	GU5.3
487068	7W	590lm	27K	15°	GU5.3
487069	7W	590lm	27K	30°	GU5.3
487070	7W	590lm	27K	45°	GU5.3
487071	7W	590lm	27K	60°	GU5.3
487072	7W	590lm	27K	120°	GU5.3
487073	7W	615lm	3K	15°	GU5.3
487074	7W	615lm	3K	30°	GU5.3
487075	7W	615lm	3K	45°	GU5.3
487076	7W	615lm	3K	60°	GU5.3
487077	7W	615lm	3K	120°	GU5.3
<b>PAR36</b>					
487242	4W	320lm	27K	38°	Multi-purpose base
487243	4W	320lm	27K	60°	Multi-purpose base
487247	4W	320lm	3K	38°	Multi-purpose base
487248	4W	320lm	3K	60°	Multi-purpose base
478252	6W	480lm	27K	38°	Multi-purpose base
487253	6W	480lm	27K	60°	Multi-purpose base
487257	6W	480lm	3K	38°	Multi-purpose base
487258	6W	480lm	3K	60°	Multi-purpose base
487262	10W	800lm	27K	38°	Multi-purpose base
487263	10W	800lm	27K	60°	Multi-purpose base
487267	10W	800lm	3K	38°	Multi-purpose base
487268	10W	800lm	3K	60°	Multi-purpose base
487272	13W	1040lm	27K	38°	Multi-purpose base
487273	13W	1040lm	27K	60°	Multi-purpose base
487277	13W	1040lm	3K	38°	Multi-purpose base
487278	13W	1040lm	3K	60°	Multi-purpose base
487287	17W	1360lm	3K	38°	Multi-purpose base
487288	17W	1360lm	3K	60°	Multi-purpose base
<b>ST14 LED Filament Bulb</b>					
490923	1W	100lm	27K		E26 (medium)
490924	2W	200lm	27K		E26 (medium)
<b>Torpedo Filament w/Candelabra</b>					
487328	2W	130lm	27K		Candelabra
487329	4W	130lm	27K		Candelabra





# OUR 2027 DAUER POWER PLAY REWARDS PROGRAM WE'RE EUROPE-BOUND!

Our *Dauer Power Play Rewards Program* for contractors is the best in the green industry today. We've made it even easier for our small- to mid-sized businesses to reap the rewards of their hard work quicker. It's our way of putting the Power Of Dauer in your hands, by rewarding your loyalty with incentives and benefits that enhance the way you do business. The program costs nothing to be a part of, and there are many different types of rewards available to fit your business.

## Dauer Power Play – How It Works

It's simple. Every time you purchase Dauer products from any of our high-quality lines, your company can attain different status levels and earn rewards like:

- *Dauer Destinations* contractor rewards trip bonus points
- Earn your way to our highest "Diamond" level faster than with any other professional-grade landscape lighting program
- We'll tier-match any competitor's loyalty program
- Rewards points roll over and never expire
- Receive discounts and complimentary passes to Dauer's Power Up Trainings
- Up to 12 Dauer product samples per year depending on tier level
- Official Dauer Power Play status and badging
- Earn joint marketing opportunities and more...

REGISTER TODAY at [DAUERMANUFACTURING.com](http://DAUERMANUFACTURING.com)





discover the power of **Dauer**  
MANUFACTURING®

**25** years strong

## Passionately **LED**

**DAUER** is a U.S.-based manufacturer of highly efficient and durable LED lamps, fixtures and transformers. Founded in 2001, Dauer Manufacturing has earned a reputation for innovation and quality with lighting systems prized for their elegant designs and beautiful yet highly efficient light output. Dauer LED lamps and fixtures are UL- and/or ETL-listed for our U.S. and Canadian markets. Because of our continuous innovation, Dauer's solutions are more technologically advanced and crafted to the most demanding standards, and are especially suited for environmental conditions that ordinary lighting products might not endure.

Dauer continues to expand its legacy of quality craftsmanship, innovative technology, and exceptional customer support with two newly added divisions – LUMIFY by Dauer, the company's commercial line of quality products, and their new line of permanent architectural lighting, ASCEND by Dauer.

**888.DAUER.LED** or 800.883.2590

[www.DauerManufacturing.com](http://www.DauerManufacturing.com) | [info@DauerManufacturing.com](mailto:info@DauerManufacturing.com)

### **SOUTH FLORIDA HEADQUARTERS**

10505 NW 112 Ave, Suite 18 | Miami, FL 33178

### **NASHVILLE PRODUCTION FACILITY**

1430 Gould Blvd, Suite 3 | La Vergne, TN 37086