







BUILT ON TRUST. LIGHTING THE WAY FORWARD.

What began with a vision to bring high-quality lighting solutions to the green industry has grown into something far greater—a trusted company built on innovation, strong partnerships, and an enduring commitment to excellence.

Our journey has been shaped by growth, resilience, and the relationships we have formed along the way. Like any meaningful path, it has included challenges to overcome, successes to celebrate, and valuable lessons that continue to move us forward.

Through every season, one thing has remained constant: our unwavering commitment to our customers and partners. Your trust, collaboration, and shared pursuit of excellence inspire us to keep innovating, expanding what is possible, and raising the standard for the industry.

As we look toward the future, we do so with deep appreciation to all who have helped shape Dauer into the company it is today. Together, we will continue building on that foundation—and lighting the way toward even greater possibilities.



MORE THAN CUSTOMERS – PART OF THE FAMILY

At Dauer, relationships have always come first. Many of our customers are family-owned businesses built through generations of hard work, and we understand the value of having a partner who listens, responds, and knows your business personally.

Whether you are a growing contractor or an established distributor, you are never just an account number. You have a seat at our table, a voice in the conversation, and a team committed to helping you succeed.

In fact, many of our best ideas begin with our customers. By listening to the challenges you encounter in the field, we have developed products and solutions designed to meet real needs and make your work easier.

No matter the size of your company, you are part of the Dauer family—and we will continue earning that relationship through personal service, dependable support, thoughtful innovation, and products built to perform.

PASSIONATELY LED

DAUER Manufacturing is a U.S.-based manufacturer of professional-grade LED lamps, fixtures, transformers and lighting solutions designed for lasting performance.

Since 2001, we have combined thoughtful design, advanced technology and dependable craftsmanship to create products that deliver beautiful, efficient illumination in demanding outdoor environments.

Our lamps and fixtures are UL- and/or ETL-listed for the U.S. and Canadian markets and engineered to meet the high standards lighting professionals expect from the Dauer name. From landscape lighting and ASCEND by Dauer permanent architectural lighting to LUMIFY by Dauer commercial solutions, we remain focused on helping our customers achieve better results through quality products, responsive support and continuous innovation.

INTRODUCING MORPHEUS, A FIRST-OF-ITS-KIND SMART LANDSCAPE LIGHTING FIXTURE



MORPHEUS
Brass Integrated SMART
Uplight/Downlight
490400 (2700K) | 490401 (3000K)

PATENT-PENDING LIQUID CRYSTAL TECHNOLOGY
ELECTRONICALLY RESHAPES & MOVES LIGHT
THROUGH MORE THAN 10,000
POSSIBLE LIGHTING COMBINATIONS

Morpheus gives lighting professionals unprecedented control over the shape, direction and intensity of light—all from the Dauer Smart App. Its patent-pending liquid crystal lens electronically reshapes the beam without motors, moving optics, interchangeable lenses or manual adjustments at the fixture.

CREATE LIGHT IN MOTION

Dauer's proprietary Kinetic Lighting Effect (KLE) coordinates one or multiple lighting positions to create gradual movement throughout a scene. Light can drift across a wall, move naturally through branches or subtly transform a focal point throughout the evening.

CONTROL MORE FROM ANYWHERE

Group fixtures, save scenes and presets, schedule lighting around sunrise and sunset, and make adjustments remotely. Available in uplight and downlight configurations, Morpheus adapts as landscapes, design objectives and client preferences evolve.

SCAN TO EXPERIENCE MORPHEUS

Explore the video, specifications, product manual, fact sheet and additional resources.



MORPHEUS is patent pending.

2027

PRODUCT HIGHLIGHTS

INTRODUCING PRISM

PRISM brings app-controlled RGBCW versatility to landscape lighting, allowing professionals to adjust color, white light, brightness and other settings to create a wide range of lighting effects. Available in uplight and downlight configurations, this cast brass fixture features an integrated 10W LED source, 24° or 36° beam spreads and versatile mounting options.

CODES	WATTAGE	VOLT AMPS	BEAM SPREAD	COLOR TEMP	LUMENS	EFFICACY	CRI
489400	10W	15	24°	2700K	482.98	48.39	82
489400	10W	15	24°	3000K	586.42	53.8	84
489400	10W	15	24°	4000K	621.00	57.13	87
489400	10W	15	24°	5000K	646.27	59.84	86
489400	10W	15	24°	6500K	536.53	54.42	86
489400	10W	15	24°	BLUE	27.50	7.84	/
489400	10W	15	24°	GREEN	107.12	30.8	/
489400	10W	15	24°	RED	81.43	17.19	/
489400	10W	15	24°	YELLOW	122.64	27.06	/
489401	10W	15	36°	2700K	460.92	46	82
489401	10W	15	36°	3000K	590.20	54.8	84
489401	10W	15	36°	4000K	634.63	59.59	87
489401	10W	15	36°	5000K	670.70	62.8	86
489401	10W	15	36°	6500K	517.35	51.74	86
489401	10W	15	36°	BLUE	28.86	7.97	/
489401	10W	15	36°	GREEN	110.53	32.74	/
489401	10W	15	36°	RED	81.05	17.62	/
489401	10W	15	36°	YELLOW	122.64	26.66	/



PRISM
Brass Integrated RGBCW
Uplight/Downlight
 489400 (24°) | 489401 (36°)

NEW DESIGNS. SIGNATURE PERFORMANCE.

Discover the latest additions to Dauer's professional line of LED landscape lighting fixtures and accessories.

Designed to expand your options in the field, our newest brass and aluminum products combine fresh forms with the trusted craftsmanship, lasting durability and dependable performance professionals have come to expect from Dauer Manufacturing.



HEXAGON
Aluminum Integrated Bollard
489720



WINDSOR COMPLETE
Brass Drop-in Path Light
490013
(hat & 18" stem combo)

WINDSOR | (6" hat)
490016



PAXTON COMPLETE
Brass Drop-in Path Light
490018
(hat & 18" stem combo)

PAXTON | 6.25" hat
489906



FIREFLY 6" & 12"
Brass Drop-in
Path Light
489904-6
489904-12



ELLIS
Brass Integrated
Path Light
489869-2700K
489869-3000K



CAMILLE | 4" Hat
Brass Drop-in
Path Light
489922



ZEN COMPLETE
Brass Drop-in Path Light
490012

(hat & 18" stem combo)
490012-BLK
(hat & 18" stem combo-BLACK)

ZEN | 6.3" Hat
490020 (clear lens)
490021 (frosted lens)



CYGNUS Wi-Fi®
Smart Socket
501066



FAIRBANKS
Brass J-Box Tree Mount
490099

STRING LIGHTS

BISTRO BOSS

Dauer Manufacturing's professional-grade **BISTRO BOSS** string lights feature durable brass sockets paired with Dauer brass-based lamps. Choose from inline or suspended configurations to suit your installation.

COMMERCIAL BISTRO STRING LIGHT

Suspended Socket

50' - 490952 | 100' - 490954 | 300' - 490956

ST14 lamp | 12V or 120V

Custom-cut sizes also available.

COMMERCIAL BISTRO STRING LIGHT

Inline Socket

50' - 490951 | 100' - 490953 | 300' - 490955

ST14 lamp | 12V or 120V

Custom-cut sizes also available.

MAKE IT YOUR OWN WITH CUSTOM COLORS

Many Dauer fixtures can be powder-coated to complement the surrounding architecture, landscape or design vision.

Choose from standard architectural colors—including white, black and silver— or explore additional colors and finishes.

You can even create a signature color unique to your project or brand.

Ask your Dauer representative for available options and details.

BLACK LABEL SERIES IN STOCK. READY TO SHIP.

Our most popular aluminum and brass fixtures are now stocked in black as part of our standard inventory—giving you faster access to the products you need, when you need them.

Select fixtures shown below are also available in wildlife-safe versions. Custom powder-coated colors are offered for most fixtures. Place your order today!



BUTTONWOOD
490074-2700K-BLK
490074-3000K-BLK
Aluminum Deck Light



MANCHESTER
490128-2W-2700K-BLK
490128-2W-3000K-BLK
Aluminum Hardscape Light



LEX | 490105-BLK
Aluminum Uplight



AMANI | 490111-BLK
Aluminum Path Light



FIREFLY 20" | 489904-BLK
Brass Path Light



BALI | 490112-BLK
Aluminum Path Light



ANTIGUA | 490110-BLK
Aluminum Path Light



ENCLAVE
489909-16-BLK
489909-22-BLK
Brass Path Light



FAIRMONT
489920-BLK
489920-FS-BLK
(floating socket)
Brass Uplight



MIGHTY MIGHT
490003-BLK
490003-FS-BLK
(floating socket)
Brass Uplight



ICON
490001-BLK
490001-FS-BLK
(floating socket)
Brass Uplight



METROPOLITAN
490009-BLK
Brass Wall Washer



ZEN COMPLETE
490012-BLK
Brass Path Light


POWER UP YOUR PROJECT WITH DAUER POWER PACKS

Dauer Power Packs bring together the essentials for a complete landscape lighting installation. Choose from brass or aluminum fixtures with drop-in or integrated light sources.

Designed for budget-conscious customers, these convenient starter kits make it easy to begin with the right system and expand over time—while giving you another opportunity to grow each project and increase your bottom line.

ALUMINUM DROP-IN POWER PACK

490305



4

BALI
(6" hat)
Path Lights
w/ Stem




6

LEX
Uplights

Add 250' of 12-2 wire to any Dauer Power Pack for a nominal charge. Ask your sales representative for more details.

BRASS DROP-IN POWER PACK

490307



4

ZEN
(6.3" hat)
Path Lights
w/ 18" Stem



6


MIGHTY MIGHT
Uplights

Drop-in Power Packs also include: one 150W Professional Grade Transformer, one COSMO Astronomic Timer, four 3W SMD Bi-pin Lamps, six 5W MR16 Lamps, twenty Gator Byte Connectors and ten Heavy-duty Slotted Mounting Stakes.



ALUMINUM INTEGRATED POWER PACK

490306



4

CARMEL
(6.26" hat)
Path Lights
w/ Stem



6

MIRAGE
40° | 27K & 3K
Uplights

BRASS INTEGRATED POWER PACK

490308



4

NEWPORT
(6.26" hat)
Path Lights



6

BODACIOUS
45° | 27K & 3K
Uplights

Integrated Power Packs also include: one 150W Professional Grade Transformer, one COSMO Astronomic Timer, twenty Gator Byte Connectors and ten Heavy-duty Slotted Mounting Stakes.



WILDLIFE-SAFE LIGHTING

Support wildlife protection with select Dauer landscape fixtures and lamps certified by the Florida Fish and Wildlife Conservation Commission and the U.S. Fish and Wildlife Service.

Pair compatible fixtures with Dauer's wildlife-safe lamps, engineered to produce a spectral output above 585 nanometers, to help reduce the impact of artificial light on sea turtles, migrating birds and other wildlife.



VENETIAN
490076
Brass
Bi-Pin lamp



CRESCENT
490075
Brass
Bi-Pin lamp



KONA-TIKI
490022
Brass
Bi-Pin lamp



CHURCHILL
490080
Brass
Bi-Pin
lamp

ZEN COMPLETE
490012
(hat & 18"
stem combo)
490012-BLK
(hat & 18" stem
combo-BLACK)
ZEN (6.3" hat)
490020 (clear lens)
490021 (frosted lens)



MR16 (5W)
486821-WL
(GU5.3 amber)



AMBER BI-PIN
(1.5W)
487124-WL



AMBER BI-PIN
(3W)
487125-WL



BALI
490112
Aluminum
Bi-Pin lamp



ANDROS
490017
Brass
Bi-Pin lamp



DHARMA
489921
Brass
Bi-Pin lamp




MANDARIN
490024
Brass
Bi-Pin lamp



TARA
490114
Aluminum
Bi-Pin lamp




PAXTON COMPLETE
490018
(hat & 18" stem combo)
PAXTON (6.25" hat)
489906
Bi-Pin lamp




BRISTOL
490116
Aluminum
Bi-Pin lamp



ANTIGUA
490110
Aluminum
Bi-Pin lamp




WINDSOR
COMPLETE
490013
(hat & 18"
stem combo)
WINDSOR
(6" hat)
490016




AMANI
490111
Aluminum
Bi-Pin lamp



LOTUS
490115
Aluminum
Bi-Pin lamp



ATLANTIS
490019
Brass
Bi-Pin lamp



ENCLAVE
489909-16"
489909-22"
Brass
Bi-Pin lamp



Brass Path Light stem options: 10" stem 490025 16" stem 490023 18" stem 490026.

OUR LUXURY COLLECTION OF BOLLARDS.

PROUDLY MADE IN THE USA

Center Square | 489521 - 6x6x25
489522 - 6x6x42 | 489554 - 4x4x25 (17" vector)
489555 - 4x4x25 (8" vector) Uses MR8 or MR16 lamp

Curvaceous
489505 - 6x6x25 | 489506 - 6x6x42
Uses MR8 or MR16 lamp

D-Vine
489550 - 4x4x25 | 489529 - 6x6x25
489530 - 6x6x42 | Uses MR8 or MR16 lamp

Deco Drive
489513 - 6x6x25 | 489514 - 6x6x42
Uses MR8 or MR16 lamp

SILHOUETTE COLLECTION

Statuesque by day and celestial by night, our precision-formed *Silhouette Collection* of decorative bollards are made from the finest architectural-grade aluminum alloy, for remarkable strength and resistance to corrosion.

Garden Of Zen
489501 - 6x6x25 | 489502 - 6x6x42
Uses MR8 or MR16 lamp

Sailboat
489533 - 6x6x25 | 489534 - 6x6x42
Uses MR8 or MR16 lamp

Sunny Moon
489509 - 6x6x25 | 489510 - 6x6x42
Uses MR8 or MR16 lamp

Swirls
489525 - 6x6x25 | 489526 - 6x6x42
Uses MR8 or MR16 lamp

XO
489552 - 4x4x25 | Uses MR8 or MR16 lamp
489537 - 6x6x25 | Uses MR8 or MR16 lamp
489538 - 6x6x42 | Uses MR8 or MR16 lamp

Yin Yang Koi
489517 - 6x6x25 | 489518 - 6x6x42
Uses MR8 or MR16 lamp

Jade
600202 - 39" direct burial | 600594 - 48" direct burial
600620 - 39" surface mount
600622 - 48" surface mount

MINIMALIST SERIES

Our Minimalist Series bollards are an excellent solution when a project involves the use of simple design elements, without ornamentation or decoration. This series pairs well with minimalist architectural designs.

Beach Club 6"×6"×25"
489582
MR16 lamp

Conrad 4"×4"×25"
489577
MR16 lamp

Sausalito 4"×4"×25"
489580
MR16 lamp

Tiburon 4"×4"×36"
489581
MR16 lamp

Turnberry 6"×6"×42"
489583
MR16 lamp

GEOMETRICS COLLECTION

The Geometrics Collection introduces sculptural bollards defined by bold geometric forms, led by the **HEXAGON** and engineered for strength, longevity, and architectural appeal.

Hexagon
489720 | 2"×2"×17"
Aluminum Integrated

PIER MOUNTS

Our aluminum Pier Mounts secure easily to walls or other raised surfaces and cast enchanting shadows that create enhanced beauty to their immediate surroundings.

Center Square Lantern
489519 | 6"×6"×18" | MR16 lamp

Center Square Bollard/Post-Top
489520 | 6"×6"×18" | MR16 lamp

HARDSCAPE LIGHTS

Dauer hardscape lights deliver a wide, even spread of illumination for steps, retaining walls, seating areas and other integrated outdoor applications. Available in a variety of sizes, finishes and beam spreads, each fixture combines durable construction with dependable performance to enhance safety, visibility and ambiance throughout the landscape.

7" wide

CHURCHILL

Brass Drop-In

490080 (Bi-Pin lamp)

6.8" wide

MANCHESTER

Aluminum Integrated

490128-2W-2700K | 490128-2W-3000K
490128-4W-2700K | 490128-4W-3000K
140lm (2W) or 280lm (4W)
(factory installed clear lens)

4" wide

MANCHESTER JR

Aluminum Integrated

490127-2700K | 490127-3000K
2.2W | 220lm
(factory installed clear lens)

12" wide

MANCHESTER SR

Aluminum Integrated

490129-2700K | 490129-3000K
4W | 313lm
(factory installed clear lens)

45°
Angle

90°
Angle

AXLE

Brass Integrated

490085-2W-2700K | 490085-2W-3000K
490085-4W-2700K | 490085-4W-3000K
140lm (2W) or 280lm (4W)
(factory installed clear lens)

IP66 rated
6.8" wide

TIMBERLINE

Brass Integrated

490082-2W-2700K | 490082-2W-3000K
490082-4W-2700K | 490082-4W-3000K
140lm (2W) or 280lm (4W)
(factory installed clear lens)

4" wide

TIMBERLINE JR.

Brass Integrated

490081-2700K | 490081-3000K
1W | 220lm
(factory installed clear lens)

12" wide

TIMBERLINE SR.

Brass Integrated

490083-2700K | 490083-3000K
4W | 313lm
(factory installed clear lens)

All hardscapes are offered with a quick disconnect option. To order, add a "-QD" after the respective fixture order number. For example, to order the Timberline with quick disconnect, order as 490082-2W-2700K-QD.

Achieve approx. 33% lumen reduction with a lightly frosted lens. Achieve approx. 50% lumen reduction with a heavier frosted lens. Amber lens: Achieve approx. 60% lumen reduction for a dramatic ultra-warm effect. Timberline fixture excluded.

TRANSFORMERS & CONTROLS

High-quality transformers add to the efficiency and durability of your outdoor lighting project. All models conform to UL and ETL specifications and offer 92% to 95% regulation.



JARVIS 300W Wi-Fi®
SMART TRANSFORMER
490545 - Stainless Steel - 15V



150W TRANSFORMER
490551 - Stainless Steel
12-15V



300W TRANSFORMER
490552 - Stainless Steel
12-15V



600W PROFESSIONAL GRADE
490543 - Stainless Steel
12-22V



75W PROFESSIONAL GRADE
Integrated Timer
490549 - Stainless Steel - 12V



CYGNUS Wi-Fi®
Smart Socket
501066



ASTRONOMIC
Pluggable Timer
DT200LT



PPC-8
Pluggable Photocell
600516



ASTRONOMIC REMOTE
Waterproof Timer
HB880



COSMO
Astronomic Timer
501067




SUNSET 12V
A/C Dimmer
501087

High-quality transformers add to the efficiency and durability of your outdoor lighting project. Dauer transformers and controls offer options such as multitap selectable voltages, smart sockets, photocell sensors or sockets, timers or timer sockets, dimmers, and surge protection.


OUR QUALITY LINE OF LIGHTING FIXTURES

Our signature lighting fixtures are meticulously crafted to meet the most discerning standards in the industry. Offering a variety of fixtures and finishes with varying wattages, color temperatures and beam spreads, Dauer is the premier, one-stop source for all your LED landscape lighting needs.



BRASS INTEGRATED STEP LIGHTS

Our recessed step lights provide beautiful yet functional aesthetics, perfectly illuminating exterior spaces while enhancing the surrounding architectural elements.



4.6" wide



2.9" high

BREAKERS

489927-2700K | 2.7W | 45lm
489927-3000K | 2.7W | 48lm

5.5" wide



2.9" high

CABO

489928-2700K | 4W | 353lm
489928-3000K | 4W | 351lm

4.5" wide



2.9" high

CAPE

489926-2700K | 2.7W | 18lm
489926-3000K | 2.7W | 20lm

5.5" wide



2.9" high

CATALINA

489929-2700K | 4W | 23lm
489929-3000K | 4W | 18lm

4.5" wide



2.9" high

HARBORVIEW

489925-2700K | 2.7W | 244lm
489925-3000K | 2.7W | 267lm

9.3" wide



2.9" high

ISLANDER

489931-2700K | 3.5W | 20lm
489931-3000K | 3.5W | 21lm

9.3" wide



2.9" high

RIPTIDE

489930-2700K | 3.5W | 296lm
489930-3000K | 3.5W | 305lm

7.4" wide



1.77" high

SEACOAST

489932-2700K | 1W | 13lm
489932-3000K | 1W | 15lm





UPLIGHTS	UPLIGHTS	UPLIGHTS	DOWNLIGHTS	DOWNLIGHTS
 MR16 lamp ALBANY 490107 A D	 MR16 and MR8 lamps EVERGLADES dual-source directional 489900 B D	 MATRIX See Integrated Directional LED chart on page 29 for options. A I	 MR16 lamp WINSTAR 490109 A D	 MIRAGE V-2 See Integrated Directional LED chart on page 29 for options. A I
 MR16 lamp LEX 490105 A D	 MR16 lamp FAIRMONT 489920 489920-FS (floating socket) w/opt. 5" shroud 490055 B D	 Opt. 6" shroud 489849 MIRAGE See Integrated Directional LED chart on page 29 for options. A I	 MR16 lamp BEVERLY 489982 with 5" shroud B D	 Ext. Shroud 489146 (3/6W) Ext. Shroud 489147 (8/12/16W) MOONDANCE 489149-65 (8W) 489149-100 (8W) 489150-100 (12W) 489151-100 (16W) See Integrated Directional LED chart on page 29 for options. A I
 MR16 lamp ARIA 6" and 10" 489917-UP6 (6") 489917-UP10 (10") B D	 MR16 lamp ICON 490001 490001-FS (floating socket) B D	 Ext. Shroud 489146 (3/6W) Ext. Shroud 489147 (8/12/16W) MIRAGE V-2 See Integrated Directional LED chart on page 29 for options. A I	 MR16 lamp FISHER 489981 B D	 BODACIOUS See Integrated Directional LED chart on page 28 for options. B I
 MR16 lamp ASTOR 490007 490007-FS (floating socket) B D	 MR16 lamp MIGHTY MIGHT 490003 490003-FS (floating socket) B D	 BODACIOUS See Integrated Directional LED chart on page 28 for options. B I	 MR16 lamp SOHO 489980 B D	 BODACIOUS Opt. 6" extended shrouds Shroud only - 490260 3W & 6W 490261 8W, 12W & 16W B I
 PAR36 lamp ELLIOTT 490014 with 5" shroud B D	 MR16 lamp PRESCOTT 490004 B D	 BODACIOUS Opt. 6" extended shrouds Shroud only - 490260 3W & 6W 490261 8W, 12W & 16W B I	 MR16 lamp WATERFORD 489915 490054 (opt. 5" shroud) B D	 ELEMENT See Integrated Directional LED chart on page 29 for options. B I
 PAR36 lamp EPIC 490015 B D	 MR8 lamp RONEY 489990 B D	 ELEMENT See Integrated Directional LED chart on page 29 for options. B I	 MATRIX See Integrated Directional LED chart on page 29 for options. A I	 HARVEST MOON 490268 12W 630lm 5700K 490269 16W 832lm 5700K B I
NICHE LIGHTING  1.75" wide .95" high IRIS 489875 1.7W 40° 3000K 150lm SS I		SAVANNAH 489901 MR16 lamp B D	MORPHEUS SMART 490400 (2700K) 490401 (3000K) NEW B I	MORPHEUS SMART 490400 (2700K) 490401 (3000K) NEW A I
		PRISM RGBCW 489400 (24°) 489401 (36°) NEW B I	MIRAGE See Integrated Directional LED chart on page 29 for options. A I	PRISM RGBCW 489400 (24°) 489401 (36°) NEW B I



FINISH: **A** Aluminum **B** Brass **C** Copper **SS** Stainless Steel

FIXTURE: **D** Drop-In **I** Integrated

PATH LIGHTS	PATH LIGHTS	PATH LIGHTS	PATH LIGHTS	PATH LIGHTS
 AMANI (8" hat) 490111 Bi-Pin lamp A D	 ARIA 16" & 20" 489917-P16 (16") 489917-P20 (20") Bi-Pin lamp B D	 OMNI HALF-CUT (6.5" x 4.4" hat) 489905 Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026 B D	 MONTEREY (8.26" hat) 489157-2700K 5W 571lm 489157-3000K 5W 523lm 489158-2700K 3W 347lm 489158-3000K 3W 347lm Bi-Pin lamp A I	 ELATION 16" & 22" 489870-16-2700K 489870-16-3000K 489871-22-2700K 489871-22-3000K Bi-Pin lamp B I
 ANTIGUA (6" hat) 490110 Bi-Pin lamp A D	 ARIA II 21" 490019 489917-2XP21 MR16 lamp B D	 REGENT 489912 MR8 lamp B D	 QUATTRO 489162-2700K-BLK 489162-3000K-BLK Bi-Pin lamp A I	 HEMINGWAY (8.5" hat) 489916-2700K 3W 300lm 489916-3000K 3W 300lm Bi-Pin lamp B I
 BALI (6" hat) 490112 Bi-Pin lamp A D	 ATLANTIS (4" hat) 490019 Stem included. Bi-Pin lamp B D	 SKY 489908 MR16 or Bi-Pin lamp B D	 RAVEN 489161-18-27K-60 7W total 323lm/head 489161-18-3K-60 7W total 351lm/head Bi-Pin lamp A I	 MARLEY (6.6" hat) 489902-2700K 3W 300lm 489873-3000K 3W 300lm Bi-Pin lamp B I
 BRISTOL (8.5" hat) 490116 Bi-Pin lamp A D	 DHARMA (4" hat) 489921 Bi-Pin lamp B D	 TAJ 489913 MR8 lamp B D	 SONOMA (8.5" hat) 489154-2700K 3W 300lm 489154-3000K 3W 300lm Bi-Pin lamp A I	 NEWPORT (6" hat) 489903-2700K 3W 300lm 489903-3000K 3W 300lm Bi-Pin lamp B I
 LOTUS (6" hat) 490115 Bi-Pin lamp A D	 ENCLAVE 16" & 22" 489909-16 489909-22 Bi-Pin lamp B D	 TORTUGA w/ Citronella torch (8" hat) 490028 MR16 or Bi-Pin lamp 60" stem (490027) and Excalibur mounting stake included B D	 ZIGGY 16" & 22" 489159-16-2700K 489159-16-3000K 489159-22-2700K 489159-22-3000K Bi-Pin lamp A I	 RAINIER 489911-2700K 4W 489911-3000K 4W 313lm (clear lens), 208lm or 155lm (frosted lens) Bi-Pin lamp A I
 TARA (6" hat) 490114 Bi-Pin lamp A D	 FIREFLY 6", 12" & 20" 489904 (20") 489904-BLK (20" BLACK) 489904-6 (6") 489904-12 (12") MR16 NEW B D	 CARMEL (6.26" hat) 489156-2700K 3W 300lm 489156-3000K 3W 300lm Bi-Pin lamp A I	 ARCHER SR. 24" & 30" 489914-24-2700K 4W 300lm 489914-24-3000K 4W 300lm 489914-30-2700K 4W 300lm 489914-30-3000K 4W 300lm Bi-Pin lamp B I	
 ANDROS (8.5" hat) 490017 Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026 B D	 KONA-TIKI (7.5" hat) 490022 Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026 B D	 DAVOS 489160-18-27K-60 3.5W 323lm 489160-18-3K-60 3.5W 351lm Bi-Pin lamp A I	 BELMONT See Integrated Directional LED chart on page 28 for options. Bi-Pin lamp B I	 CAMILLE (4" Hat) 489922 NEW B D
 ARCHER 19" 489910 Bi-Pin lamp B D	 MANDARIN (12" hat) 490024 Bi-Pin lamp 10" stem 490025 16" stem 490023 18" stem 490026 B D	 FRESNO (6.21" hat) 489152-2700K 2W 200lm 489152-3000K 2W 200lm Bi-Pin lamp A I	 DRAKE See Integrated Directional LED chart on page 28 for options. Bi-Pin lamp B I	

Lamps, where indicated with the drop-in fixtures, are sold separately. All aluminum Path Light hats come with stems and stakes included.
Stems for all applicable brass Path Light hats are interchangeable and must be purchased separately, unless otherwise noted. Mounts for all downlight fixtures are sold separately.

PATH LIGHTS		PATH LIGHTS		INGROUND LIGHTS		INGROUND LIGHTS			
4.7" wide MR16 lamp  BENTLEY 490063 B D		5.5" wide MR16 lamp  ROSEWOOD 490070 B D		1.75" wide MR8 lamp 2.75" high  BRECKENRIDGE 489992 B D		1.6" wide 2.5" high  DUNES 489881-2700K 1W 21lm 489881-3000K 1W 28lm SS I			
4" wide MR16 lamp  CHELSEA 490062 B D		3.8" wide MR16 lamp  SOLARA 490066 B D		1.75" wide MR8 lamp 2.75" high  NOBLE 489994 B D		1.6" wide 2.5" high  ELLIE 489883-2700K 1W 7lm 489883-3000K 1W 6lm SS I			
4.7" wide MR16 lamp  CONTEMPORARY 490068 B D		3.8" wide MR16 lamp  TIDES 490064 B D		1.75" wide MR8 lamp 2.75" high  WILLOW 489993 B D		1.6" wide 2.5" high  NOOR 489885-2700K 1W 15lm 489885-3000K 1W 14lm SS I			
3.8" wide MR16 lamp  DELANO 490065 B D		6.5" wide MR16 lamp  WENTWORTH 490071 B D		1.6" wide 2.5" high  BOWIE 489873-2700K 1W 19lm 489873-3000K 1W 27lm B I		1.6" wide 2.5" high  RAIDEN 489886-2700K 1W 12lm 489886-3000K 1W 12lm SS I			
4.7" wide MR16 lamp  PALMS 490069 B D		4.7" wide MR16 lamp  ZEPHYR 490067 B D		1.6" wide 2.5" high  HENDRIX 489872-2700K 1W 51lm 489872-3000K 1W 67lm B I		1.6" wide 2.5" high  SANDPIPER 489880-2700K 1W 51lm 489880-3000K 1W 67lm SS I			
6.5" wide  PARKER 490072 B D		 ORSON ABS Composite 490180 Well light body & gimbal with rock guard cover B D		1.6" wide 2.5" high  JAGGER 489874-2700K 1W 21lm 489874-3000K 1W 28lm B I		1.6" wide 2.5" high  SENARA 489884-2700K 1W 11lm 489884-3000K 1W 11lm SS I			
NEW		2027 PATH LIGHTS							
 ELLIS 489869-2700K 489869-3000K B I		 PAXTON COMPLETE 490018 (hat & 18" stem combo) PAXTON (6.25" hat) 489906 Bi-Pin lamp 490025 10" stem 490023 16" stem 490026 18" stem B D		 WINDSOR COMPLETE 490013 (hat & 18" stem combo) WINDSOR (6" hat) 490016 B D		 ZEN COMPLETE 490012 (hat & 18" stem combo) 490012-BLK (hat & 18" stem combo-BLACK) ZEN (6.3" hat) 490020 (clear lens) 490021 (frosted lens) B D		1.6" wide 2.5" high  WYNN 489882-2700K 1W 19lm 489882-3000K 1W 27lm SS I	

RAIL, DECK & DOCK LIGHTS		WALL WASHERS		WALL SCONCES	
3.6" wide Bi-Pin lamp 1.8" high  CRESCENT 490075 B D	MR16 lamp  HIDEAWAY 490061 A D	2.3" wide MR16 lamp 6.75" high  CABANA 490090 B D	5" wide MR16 lamp 16" high  VICEROY 600580 A D		
3.5" wide Bi-Pin lamp 1.7" high  VENETIAN 490076 B D	Bi-Pin lamp  BEACON 490053 B D	2.4" wide MR16 lamp 5" high  LA GRANGE 490091 B D	3" wide 9" high  MAUI 489860-2700K polished 489861-3000K polished 489862-2700K oxidized 489863-3000K oxidized B C I		
1" wide 1.3" high  BETSY 490073-2700K 490073-3000K 1W 120lm A I	MR16 lamp  DIPLOMAT 490010 B D	COMPOSITE PAR 36 WELL LIGHT SERIES			
1.9" wide 1.1" high  BUTTONWOOD 490074-2700K 490074-3000K 1W 150lm A I	Bi-Pin lamp  METROPOLITAN 490009 B D	 490170 Well light body & gimbal with aluminum black angled cover.	 490171 Well light body & gimbal.		
3.31" wide 1.13" high  AVALON 490095-2700K 490095-3000K B I	 ALUMINUM LED mini flood w/ opt. shroud See Integrated Directional LED chart on page 30 for options. A I	 490172 Aluminum black flat cover.	 490173 Brass flat cover. Architectural bronze finish.		
4.5" wide 6.6" long  MARINER Double-aperture 489935-2700K 489935-3000K 2.2W 220lm B I	 2W ALUMINUM MINI FLOOD 490061 490062 A I	 REMINGTON Wall Washer w/Stake 489888-2W-2700K 140lm 489888-2W-3000K 140lm 489888-4W-2700K 280lm 489888-4W-3000K B I	 STARDDUST 489924 MR16 or Bi-Pin lamp B I		
4.5" wide 6.6" long  MARINER Single-aperture 489934-2700K 489934-3000K 2.2W 220lm B I	 BILTMORE See Integrated Directional LED chart on page 30 for options. B I	 COLONY 490088 MR16 or Bi-Pin lamp B D			
2.4" wide 3" high  VIBE Black 489997-2700K 3W 215lm 489997-3000K 3W 240lm B I	 WALDORF See Integrated Directional LED chart on page 30 for options. B I	SUBMERSIBLES			
1" wide 1.3" high  BETSY 490073-2700K 490073-3000K 1W 120lm A I	2.86" wide 4.84" high  NEMO 489998 3W 60° 3000K 190lm B I				

LANDSCAPE LIGHTING MOUNTING OPTIONS

TREE MOUNTS



ANCHORAGE Tree Mount Strap Kits (alum.)
490340 9" - 14" | 490341 15" - 22.5"
490342 24" - 31.5" | 490343 36" - 46.5"
490344 48" - 61.5"



Brass Y-Bracket
490045



Tree Hugger Strap Kits (brass)
490330 9" - 14" | 490331 15" - 22.5"
490332 24" - 31.5" | 490333 36" - 46.5"
490334 48" - 61.5"



Optional Brass Tree Mount
490046



Pictured:
SOHO fixture 489980 with brass tree hugger strap kit 490330



NEWHOUSE Brass Tree Mount
490060



ANCHORAGE Aluminum Tree Mount J-Box 490189



Aluminum Micro Surface Mount
490186



Brass Micro Surface Mount
490049



FAIRBANKS Brass J-Box Tree Mount
490099

SPECIALTY & OTHER MOUNTING OPTIONS

Aluminum Accessories for Iris Rotatable Mount 489879 & Shroud 489878



Aluminum Corner Mount for Cabana & La Grange 490198



Micro Mounting Stake & Shroud for Betsy
490199

Brass ½" Locknut
490042



Brass Electrical Mounting Plate (round) 490043



Brass Electrical Mounting Plate (rectangular)
490044



Brass Lanai Mount
490098



Brass Gutter Mount
490047



Brass Heavy Duty Gutter Mount
490059



Round 3-Hole Brass Surface Mount
490048



Brass Pier Mount
490057



Brass Direct Burial J-Box Knock-out Plug with Seal
490058-plug



Aluminum Tapered Mount
490187



Aluminum Gutter Mount
490188



LANDSCAPE LIGHTING ACCESSORIES

ALUMINUM RISERS

6"
490181



12"
490182



24"
490183



BRASS RISERS

2"
490038



3"
490039



24"
490033



6"
490031



12"
490032



BRASS PATH LIGHT STEMS

10"
490025



16"
490023



18"
490026



60"
490027



Heavy-duty slotted mounting stake included on 10", 16" and 18" (490034).

Excalibur post stake included (490037)

BRASS CONNECTORS

L-connector
490050



T-connector
490051



HEAVY DUTY MOUNTING STAKES

Heavy-duty
Slotted Mounting
Stake
490034



Heavy-duty
Trident
3-Prong Stake
490036



Large
Excalibur PVC
Post Stake
490037



BRASS TELESCOPIC RISERS

Brass Telescopic Risers
(Adjustable, Seamless)
490096 (8" - 12")
490097 (16.5" - 26.5")





BRERA



GLENCREST



GOLDENGROVE



HILLSIDE



JACKS



JASPER



JUBILEE



KESTRELS



LIONEL

DESIGNED TO COMPLETE THE OUTDOORS.

POST LIGHTS | COACH LIGHTS
WALL SCONCES
OUTDOOR CEILING FANS
12V | 120V

Our expanded 12V exterior collection —also available in 120V— brings architectural lighting and outdoor airflow together in one streamlined solution. Built for performance and durability, these outdoor additions continue to expand our exterior solutions alongside **ASCEND** by Dauer permanent architectural lighting and LUMIFY by Dauer commercial lighting—proudly offered by Dauer Manufacturing.

Visit [LUMIFYbyDauer.com](https://www.lumifybydauer.com)
for all your commercial lighting needs.



OVERTON



TAPLOW



MISSION BAY

OUR NEW LINE OF PERMANENT ARCHITECTURAL LIGHTING



With decades of expertise in creating high-quality lighting solutions, we are proud to expand into permanent architectural lighting for residential and commercial exteriors. Whether you're celebrating a holiday, supporting your favorite team, or hosting a special event, our lighting makes it easy to set the perfect ambiance with customizable, app-controlled, color-changing lights.





FEATURES:

- Individually addressable lights
- 40" aluminum track sections with custom track colors & fabrication
- Dual diodes RGB & 3000K white on each light
- Power injected every 75 bulbs
- UL- & ETL-certified & IP67 rated
- Lifetime warranty
- Wi-Fi® & APP based – control from anywhere
- Oriented down or out
- Easy to use and install
- Unlimited functions
- Large IP67 coax connections

Tracks:

- Single track (40" L x 1-5/8" W x 6/8" T)
- Double track
- Parapet track - 90°

Diodes:

- Available in clear or black


Accessories:

- Control box location: indoor or outdoor
- Controller capacity – 2048 lights for single channel
- Standard transformer sizes: 350W and 600W
- IP67 CAPS for end of system run

DETAILS:

Lights:

- Many functions including chase, stack, run, soffit lighting & more
- String lengths (lights per section) – 1 (8") and 5 (40")
- Lights spaced at 8"
- 3 split RGBW diodes per puck
- Warm white color – 3000K
- Voltage: 12V
- Lights are dimmable
- Lights can sync to music
- Lights can be individually controlled



ASCEND by Dauer lights are controlled by the click of a button on the app.



*Ask us about our
ASCEND
by Dauer
demo kit!*

INTEGRATED DIRECTIONAL LEDs

BODACIOUS Uplight/Downlight				
ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
490200 - 490201	3W	291 - 275lm	30° - 45°	2700K
490202 - 490203	3W	246 - 217lm	65° - 100°	2700K
490204 - 490205	3W	306 - 278lm	30° - 45°	3000K
490206 - 490207	3W	255 - 248lm	65° - 100°	3000K
490208 - 490209	6W	389 - 426lm	30° - 45°	2700K
490210 - 490211	6W	357 - 332lm	65° - 100°	2700K
490212 - 490213	6W	380 - 455lm	30° - 45°	3000K
490214 - 490215	6W	397 - 357lm	65° - 100°	3000K
490216 - 490217	8W	862 - 796lm	30° - 45°	2700K
490218 - 490219	8W	608 - 515lm	65° - 100°	2700K
490220 - 490221	8W	823 - 777lm	30° - 45°	3000K
490222 - 490223	8W	592 - 504lm	65° - 100°	3000K
490224 - 490225	8W	734 - 600lm	65° - 100°	5000K
490230 - 490231	12W	1198 - 1127lm	30° - 45°	3000K
490232 - 490233	12W	889 - 730lm	65° - 100°	3000K
490234 - 490235	12W	973 - 788lm	65° - 100°	5000K
490240 - 490241	16W	1431 - 1357lm	30° - 45°	3000K
490242 - 490243	16W	1074 - 866lm	65° - 100°	3000K
490244 - 490245	16W	1231 - 967lm	65° - 100°	5000K
FINISH/COLOR: Cast Brass/Weathered Brass				

HARVEST MOON Downlight				
ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
490267-65	8W	644lm	65°	5700K Mercury Vapor effect
490267-100	8W	644lm	100°	5700K Mercury Vapor effect
490268-65	12W	630lm	65°	5700K Mercury Vapor effect
490268-100	12W	630lm	100°	5700K Mercury Vapor effect
490269-65	16W	832lm	65°	5700K Mercury Vapor effect
490269-100	16W	832lm	100°	5700K Mercury Vapor effect
FINISH/COLOR: Cast Brass/Weathered Brass				

BELMONT Path Light				
ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489918-24-2725	3.5W	339lm	25°	2700K
489918-24-2740	3.5W	316lm	40°	2700K
489918-24-2760	3.5W	323lm	60°	2700K
489918-24-27100	3.5W	275lm	100°	2700K
489918-24-3025	3.5W	343lm	25°	3000K
489918-24-3040	3.5W	343lm	40°	3000K
489918-24-3060	3.5W	351lm	60°	3000K
489918-24-30100	3.5W	296lm	100°	3000K
FINISH/COLOR: Cast Brass/Weathered Brass				

DRAKE Path Light				
ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489919-24-2725	3.5W	339lm	25°	2700K
489919-24-2740	3.5W	316lm	40°	2700K
489919-24-2760	3.5W	323lm	60°	2700K
489919-24-27100	3.5W	275lm	100°	2700K
489919-24-3025	3.5W	343lm	25°	3000K
489919-24-3040	3.5W	343lm	40°	3000K
489919-24-3060	3.5W	351lm	60°	3000K
489919-24-30100	3.5W	296lm	100°	3000K
FINISH/COLOR: Cast Brass/Weathered Brass				

INTEGRATED DIRECTIONAL LEDs

ELEMENT Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489891 - 489892 - 489893 - 489894	3.5W	339 - 316 - 323 - 275lm	25° - 40° - 60° - 100°	2700K
489896 - 489897 - 489898 - 489899	3.5W	343 - 343 - 351 - 296lm	25° - 40° - 60° - 100°	3000K
FINISH/COLOR: Cast Brass/Weathered Brass				

MATRIX Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489170 - 489171 - 489172 - 489173	3.5W	339 - 316 - 323 - 275lm	25° - 40° - 60° - 100°	2700K
489174 - 489175 - 489176 - 489177	3.5W	343 - 343 - 351 - 296lm	25° - 40° - 60° - 100°	3000K
FINISH/COLOR: Aluminum/Architectural Bronze				

MIRAGE Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489851 - 489852 - 489853	3W	294lm	25° - 40° - 60°	2700K
489856 - 489857 - 489858	3W	315lm	25° - 40° - 60°	3000K
489801 - 489802 - 489803	6W	516lm	25° - 40° - 60°	2700K
489806 - 489807 - 489808	6W	546lm	25° - 40° - 60°	3000K
FINISH/COLOR: Aluminum/Architectural Bronze. Optional 6" shroud sold separately. #489849				

MIRAGE-V2 Uplight/Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489108	6W	387.2lm	30°	2700K
489109	6W	424lm	45°	2700K
489110	6W	358.9lm	65°	2700K
489111	6W	328.9lm	100°	2700K
489112	6W	378.1lm	30°	2700K
489113	6W	454.8lm	45°	2700K
489114	6W	394.8lm	65°	3000K
489115	6W	358.6lm	100°	3000K
489120	8W	793.2lm	30°	3000K
489121	8W	754lm	45°	3000K
489122	8W	604.3lm	65°	3000K
489124	8W	421.7lm	65°	5000K
489125	8W	600.5lm	100°	5000K
489130	12W	1199lm	30°	3000K
489131	12W	1126lm	45°	3000K
489132	12W	890lm	65°	3000K
489133	12W	729lm	100°	3000K
489134	12W	974lm	65°	5000K
489135	12W	787lm	100°	5000K
489140	16W	1429lm	30°	3000K
489141	16W	1355lm	45°	3000K
489142	16W	1071lm	65°	3000K
489143	16W	884lm	100°	3000K
489144	16W	1228lm	65°	5000K
489145	16W	969lm	100°	5000K

FINISH/COLOR: Cast Aluminum/Architectural Bronze.

MOONDANCE Downlight

ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
489149-65	8W	664lm	65°	5700K Mercury Vapor effect
489149-100	8W	664lm	100°	5700K Mercury Vapor effect
489150-65	12W	630lm	65°	5700K Mercury Vapor effect
489150-100	12W	630lm	100°	5700K Mercury Vapor effect
489151-65	16W	775lm	65°	5700K Mercury Vapor effect
489151-100	16W	775lm	100°	5700K Mercury Vapor effect

FINISH/COLOR: Cast Aluminum/Architectural Bronze

INTEGRATED DIRECTIONAL LEDs

	WALDORF	BILTMORE	BILTMORE	BILTMORE
ORDER NO.	489938 489939	489960 489961	489940 489941 489943 489944	489946 489947
WATTAGE	2W	4W	7W - 7W - 12W - 12W	20W
LUMENS	153lm - 200lm	312lm - 356lm	544lm - 626lm - 918lm - 1044lm	1720lm - 1780lm
BEAM SPREAD	150° (7h x 7v)	150°	150°	150°
COLOR TEMP	2700K 3000K	2700K 3000K	2700K 3000K	2700K 3000K
FINISH/COLOR	Solid Brass/Weathered Brass	Cast Brass/Weathered Brass	Cast Brass/Weathered Brass	Cast Brass/Weathered Brass

ALUMINUM LED MINI FLOOD				
ORDER NO.	WATTAGE	LUMENS	BEAM SPREAD	COLOR TEMP
490680	4W	312lm	150°	2700K
490681	4W	348lm	150°	3000K
490682	4W	384lm	150°	4000K
490683	4W	420lm	150°	5000K
490664	7W	600lm	150°	4000K
490668	7W	700lm	150°	5000K
490684	7W	550lm	150°	2700K
490685	7W	600lm	150°	3000K
490665	12W	1000lm	150°	4000K
490669	12W	1100lm	150°	5000K
490686	12W	900lm	150°	2700K
490687	12W	1000lm	150°	3000K
490666	20W	1700lm	150°	4000K
490677	20W	2326lm	150°	5000K
490688	20W	1700lm	150°	2700K
490689	20W	1700lm	150°	3000K
490670	40W	3400lm	150°	4000K
490678	40W	4860lm	150°	5000K
490690	40W	3400lm	150°	2700K
490691	40W	3400lm	150°	3000K

FINISH/COLOR: Aluminum/Architectural Bronze. Optional shroud sold separately.

4" & 6" shroud featured.

4-inch and 6-inch shrouds are available.

Small shrouds are compatible with all 4W, 7W and 12W mini floods.
4-inch (490698). 6-inch (490701).

Medium shrouds are compatible with all 20W mini floods.
4-inch (490699)

Large shrouds are compatible with all 40W mini floods.
4-inch (490700)


LED LOW-VOLTAGE LAMPS



AMBER BI-PINS
Wildlife-safe



BAYONET ENCAPSULATED LED



BI-PIN ENCAPSULATED LED



MR8 LED



MR16



MR16



PAR36



S8 AUTO-TYPE
WEDGE BASE



ST14 LED
FILAMENT BULB



T5-STYLE
WEDGE-BASE



TORPEDO FILAMENT
with candelabra

LED LOW-VOLTAGE LAMPS

ORDER NO.	WATTAGE	LUMENS	COLOR TEMP	BEAM SPREAD	BASE
Wildlife Colors					
486821-WL (MR-16)	4W		Amber-WL		GU5.3 bi-pin
487124-WL (Bi-Pin)	1.5W		Amber-WL		G4
487125-WL (Bi-Pin)	3W		Amber-WL		G4
Mini-Encapsulated LED					
487144-2700K	3W	220lm	27K		BA15S (single contact)
487144-3000K	3W	220lm	3K		BA15S (single contact)
487145-2700K	4W	320lm	27K		BA15S (single contact)
487145-3000K	4W	320lm	3K		BA15S (single contact)
487147-2700K	3W	220lm	27K		BA15D (double contact)
487147-3000K	3W	220lm	3K		BA15D (double contact)
487155-2700K	2W	105lm	27K		Wedge
487155-3000K	2W	105lm	3K		Wedge
487164-2700K	3W	220lm	27K		S8 wedge
487164-3000K	3W	240lm	3K		S8 wedge
487170-2700K	2W	210lm	27K		G4
487170-3000K	2W	210lm	3K		G4
487172-2700K	2W - frosted glass	210lm	27K		G4
487172-3000K	2W - frosted glass	210lm	3K		G4
487173-2700K	2W	210lm	27K		GY.6.35

Dauer's LED lighting systems are prized for their elegant designs and beautiful yet highly efficient light output. All Dauer LED lamps and fixtures are UL- and/or ETL-listed for our U.S. and Canadian markets.

DAUER LOW-VOLTAGE LED LAMPS					
ORDER NO.	WATTAGE	LUMENS	COLOR TEMP	BEAM SPREAD	BASE
Mini-Encapsulated LED					
487173-3000K	2W	210lm	3K		GY.6.35
487174-2700K	3W	350lm	27K		G4
487174-3000K	3W	350lm	3K		G4
487175-2700K	3W	350lm	27K		GY.6.35
487175-3000K	3W	350lm	3K		GY.6.35
487192-2700K	3W	230lm	27K		G4
487192-3000K	3W	230lm	3K		G4
487194-2700K	3W	230lm	27K		GY.6.35
487194-3000K	3W	230lm	3K		GY.6.35
487196-2700K	4W	280lm	27K		G4
487196-3000K	4W	280lm	3K		G4
487198-2700K	4W	280lm	27K		GY.6.35
487198-3000K	4W	280lm	3K		GY.6.35
487199-2700K	4W	440lm	27K		GY.6.35
487199-3000K	4W	440lm	3K		GY.6.35
MR8 LED					
486721	2.5W	180lm	27K	38°	GU4
486722	2.5W	180lm	27K	60°	GU4
486725	2.5W	180lm	3K	38°	GU4
486726	2.5W	180lm	3K	60°	GU4
MR16					
486701	2W	255lm	27K	15°	GU5.3
486702	2W	253lm	27K	25°	GU5.3
486703	2W	242lm	27K	40°	GU5.3
486704	2W	243lm	27K	60°	GU5.3
486705	2W	239lm	27K	120°	GU5.3
486706	2W	274lm	3K	15°	GU5.3
486707	2W	264lm	3K	25°	GU5.3
486708	2W	250lm	3K	40°	GU5.3
486709	2W	246lm	3K	60°	GU5.3
486710	2W	247lm	3K	120°	GU5.3
487039	2W	160lm	27K	25°	GU5.3
487044	2W	160lm	3K	40°	GU5.3
487048	2W	160lm	3K	60°	GU5.3
487051	2W	160lm	27K	100°	GU5.3
487052	2W	160lm	3K	100°	GU5.3
486733	3W	300lm	27K	15°	GU5.3
486734	3W	255lm	27K	25°	GU5.3
486735	3W	255lm	27K	40°	GU5.3
486736	3W	255lm	27K	60°	GU5.3
486737	3W	282lm	27K	120°	GU5.3
486738	3W	321lm	3K	15°	GU5.3
486739	3W	270lm	3K	25°	GU5.3
486740	3W	270lm	3K	40°	GU5.3
486741	3W	270lm	3K	60°	GU5.3
486742	3W	270lm	3K	120°	GU5.3
486743	4W	340lm	27K	15°	GU5.3
486744	4W	340lm	27K	25°	GU5.3
486745	4W	340lm	27K	40°	GU5.3
486746	4W	340lm	27K	60°	GU5.3
486747	4W	340lm	27K	120°	GU5.3
486748	4W	360lm	3K	15°	GU5.3
486749	4W	360lm	3K	25°	GU5.3
486750	4W	360lm	3K	40°	GU5.3
486751	4W	360lm	3K	60°	GU5.3
486752	4W	360lm	3K	120°	GU5.3
486781	4W	240lm	27K	25°	GU5.3
486782	4W	240lm	27K	40°	GU5.3
486783	4W	240lm	27K	60°	GU5.3
486784	4W	240lm	27K	100°	GU5.3
487054	4W	250lm	3K	15°	GU5.3
487057	4W	250lm	3K	25°	GU5.3
487060	4W	250lm	3K	40°	GU5.3
487063	4W	250lm	3K	60°	GU5.3
487066	4W	250lm	3K	100°	GU5.3
486753	5W	425lm	27K	15°	GU5.3
486754	5W	425lm	27K	25°	GU5.3
486755	5W	425lm	27K	40°	GU5.3
486756	5W	425lm	27K	60°	GU5.3
486757	5W	425lm	27K	120°	GU5.3
486758	5W	450lm	3K	15°	GU5.3
486759	5W	450lm	3K	25°	GU5.3
486760	5W	450lm	3K	40°	GU5.3
486761	5W	450lm	3K	60°	GU5.3
486762	5W	450lm	3K	120°	GU5.3

DAUER LOW-VOLTAGE LED LAMPS					
ORDER NO.	WATTAGE	LUMENS	COLOR TEMP	BEAM SPREAD	BASE
MR16					
486763	6W	510lm	27K	15°	GU5.3
486764	6W	510lm	27K	25°	GU5.3
486765	6W	510lm	27K	40°	GU5.3
486766	6W	510lm	27K	60°	GU5.3
486768	6W	540lm	3K	15°	GU5.3
486769	6W	540lm	3K	25°	GU5.3
486770	6W	540lm	3K	40°	GU5.3
486771	6W	540lm	3K	60°	GU5.3
486772	6W	540lm	3K	120°	GU5.3
486792	6W	380lm	27K	40°	GU5.3
486793	6W	380lm	27K	60°	GU5.3
486711	7W	600lm	27K	15°	GU5.3
486712	7W	600lm	27K	25°	GU5.3
486713	7W	600lm	27K	40°	GU5.3
486714	7W	600lm	27K	60°	GU5.3
486715	7W	600lm	27K	120°	GU5.3
486716	7W	630lm	3K	15°	GU5.3
486717	7W	630lm	3K	25°	GU5.3
486718	7W	630lm	3K	40°	GU5.3
486719	7W	630lm	3K	60°	GU5.3
486720	7W	630lm	3K	120°	GU5.3
487068	7W	590lm	27K	15°	GU5.3
487069	7W	590lm	27K	30°	GU5.3
487070	7W	590lm	27K	45°	GU5.3
487071	7W	590lm	27K	60°	GU5.3
487072	7W	590lm	27K	120°	GU5.3
487073	7W	615lm	3K	15°	GU5.3
487074	7W	615lm	3K	30°	GU5.3
487075	7W	615lm	3K	45°	GU5.3
487076	7W	615lm	3K	60°	GU5.3
487077	7W	615lm	3K	120°	GU5.3
PAR36					
487242	4W	320lm	27K	38°	Multi-purpose base
487243	4W	320lm	27K	60°	Multi-purpose base
487247	4W	320lm	3K	38°	Multi-purpose base
487248	4W	320lm	3K	60°	Multi-purpose base
478252	6W	480lm	27K	38°	Multi-purpose base
487253	6W	480lm	27K	60°	Multi-purpose base
487257	6W	480lm	3K	38°	Multi-purpose base
487258	6W	480lm	3K	60°	Multi-purpose base
487262	10W	800lm	27K	38°	Multi-purpose base
487263	10W	800lm	27K	60°	Multi-purpose base
487267	10W	800lm	3K	38°	Multi-purpose base
487268	10W	800lm	3K	60°	Multi-purpose base
487272	13W	1040lm	27K	38°	Multi-purpose base
487273	13W	1040lm	27K	60°	Multi-purpose base
487277	13W	1040lm	3K	38°	Multi-purpose base
487278	13W	1040lm	3K	60°	Multi-purpose base
487287	17W	1360lm	3K	38°	Multi-purpose base
487288	17W	1360lm	3K	60°	Multi-purpose base
ST14 LED Filament Bulb					
490923	1W	100lm	27K		E26 (medium)
490924	2W	200lm	27K		E26 (medium)
Torpedo Filament w/Candelabra					
487328	2W	130lm	27K		Candelabra
487329	4W	130lm	27K		Candelabra





GO FURTHER WITH OUR DAUER POWER PLAY REWARDS PROGRAM

Our **Dauer Power Play Rewards Program** for contractors is the best in the green industry today. We've made it even easier for our small- to mid-sized businesses to reap the rewards of their hard work quicker. It's our way of putting the Power Of Dauer in your hands, by rewarding your loyalty with incentives and benefits that enhance the way you do business. The program costs nothing to be a part of, and there are many different types of rewards available to fit your business.

Dauer Power Play – How It Works

It's simple. Every time you purchase Dauer products from any of our high-quality lines, your company can attain different status levels and earn rewards like:

- **Dauer Destinations** contractor rewards trip bonus points
- Earn your way to our highest "Diamond" level faster than with any other professional-grade landscape lighting program
- We'll tier-match any competitor's loyalty program
- Rewards points roll over and never expire
- Receive discounts and complimentary passes to Dauer's Power Up Trainings
- Up to 12 Dauer product samples per year depending on tier level
- Official Dauer Power Play status and badging
- Earn joint marketing opportunities and more...



SCAN THE QR CODE & JOIN NOW.
GET **5,000 BONUS POINTS** JUST BY SIGNING UP TODAY!

DauerManufacturing.com





discover the power of **Dauer**
MANUFACTURING®





Please Note: The Dauer Manufacturing product featured in this catalog is intended to be used as accent lighting in the manner in which it is depicted and in the category under which it is presented. Any use outside of the intent as portrayed could potentially render the manufacturer's warranty null and void. Please read the complete manufacturer's warranty provided with each product purchase.

We would like to thank those companies whose photography was used throughout our 2027 product brochure to demonstrate the quality of our landscape lighting products:
All American Outdoor Lighting Professionals, Elegant Accents Outdoor Lighting (Tampa), Leatham Landscapes, Light Your Nights Landscape Lighting, Limelight Landscape Lighting, Lindquist Outdoor Lighting, Live Oak Lighting, Lumenate, Night Light Landscape Illumination, Nightscapes, OutdoorGlo.com, Outdoor Lighting Perspectives of Denver, Savior Electric, Stephens Landscaping Professionals, Upper Cumberland Window Cleaning, VIP Landscaping



discover the power of **Dauer**
MANUFACTURING®



888.DAUER.LED or 800.883.2590

www.DauerManufacturing.com | info@DauerManufacturing.com

SOUTH FLORIDA HEADQUARTERS

10505 NW 112 Ave, Suite 18 | Miami, FL 33178

NASHVILLE PRODUCTION FACILITY

1430 Gould Blvd, Suite 3 | La Vergne, TN 37086

